


Mark schemes

1

(a) radio

1

(b)



*award 1 mark for each correct line
if more than one line is drawn from any em wave then none of those lines gain credit*

3

(c) ionising

1

[5]

2

(a) magnification = $\frac{\text{image height}}{\text{object height}}$

1

dividing by an object height of 1 cm gives the same (numerical) value

1

(b) accept anything practical that would work eg:

use a taller object

use a (travelling) microscope

attach a scale to the screen and use a magnifying glass

1

(c) both points plotted correctly

1

correct line of best fit drawn

a curve passing through all points (within 1/2 square), judge by eye

1

(d) values of 1.4 and 0.6 extracted from the graph

1

2.33 times bigger

accept any number between 2.3 and 2.5 inclusive

1

(e) by dividing the distance between the lens and the image by the distance between the lens and the object

1

at least one correct calculation and comparison eg $100 \div 25 = 4$ which is the same as the measured magnification

1

[9]

3

Level 3 (5–6 marks):

A detailed and coherent plan covering all the major steps is provided. The steps in the method are logically ordered. The method would lead to the production of valid results.

A source of inaccuracy is provided.

Level 2 (3–4 marks):

The bulk of a method is described with mostly relevant detail. The method may not be in a completely logical sequence and may be missing some detail.

Level 1 (1–2 marks):

Simple statements are made. The response may lack a logical structure and would not lead to the production of valid results.

0 marks:

No relevant content.

Indicative content

place a glass block on a piece of paper

draw around the glass block and then remove from the paper

draw a line at 90° to one side of the block (the normal)

use a protractor to measure and then draw a line at an angle of 20° to the normal

replace the glass block

using a ray box and slit point the ray of light down the drawn line

mark the ray of light emerging from the block

remove the block and draw in the refracted ray

measure the angle of refraction with a protractor

repeat the procedure for a range of values of the angle of incidence

possible source of inaccuracy

the width of the light ray

which makes it difficult to judge where the centre of the ray is

[6]

4

(a) **Level 3 (5–6 marks):**

A detailed and coherent plan covering all the major steps is provided. The steps in the method are logically ordered. The method would lead to the production of valid results.

A source of inaccuracy is provided.

Level 2 (3–4 marks):

The bulk of a method is described with mostly relevant detail. The method may not be in a completely logical sequence and may be missing some detail.

Level 1 (1–2 marks):

Simple statements are made. The response may lack a logical structure and would not lead to the production of valid results.

0 marks:

No relevant content.

Indicative content

place a glass block on a piece of paper

draw around the glass block and then remove from the paper

draw a line at 90° to one side of the block (the normal)

use a protractor to measure and then draw a line at an angle of 20° to the normal

replace the glass block

using a ray box and slit point the ray of light down the drawn line

mark the ray of light emerging from the block

remove the block and draw in the refracted ray

measure the angle of refraction with a protractor

repeat the procedure for a range of values of the angle of incidence

possible source of inaccuracy

the width of the light ray

which makes it difficult to judge where the centre of the ray is

6

(b) velocity / speed of the light decreases

allow velocity / speed of the light changes

1

[7]

5

(a) refraction

1

(b) towards the normal

1

- (c) (i) convex 1
- (ii) principal focus
accept focal point 1
- (d) parallel on left 1
- refracted towards the normal at first surface 1
- refraction away from normal at second surface 1
- passes through or heads towards principal focus 1
- (e) refractive index
accept material from which it is made 1
- (radius of) curvature (of the sides)
accept shape / radius
*do **not** accept power of lens*
ignore thickness / length 1
- [10]**
- 6** (a) (i) frequency 1
- wavelength 1
- (ii) 10^{-15} to 10^4 1
- (b) 2.0×10^5
correct substitution of
 3.0×10^8 / 1500 gains 1 mark 2
- Hz 1
- (c) (i) (skin) burns 1
- (ii) skin cancer / blindness 1

(d) (i) any **one** from:

- (detecting) bone fractures
- (detecting) dental problems
- treating cancer

1

(ii) any **one** from:

- affect photographic film
- absorbed by bone
- transmitted by soft tissue
- kill (cancer) cells

answer must link to answer given in (d)(i)

1

(iii) $9 / 36 = 0.25$

$$0.5 / 2 = 0.25$$

$$4 / 16 = 0.25$$

accept:

$$36 / 9 = 4$$

$$2 / 0.5 = 4$$

$$16 / 4 = 4$$

2

conclusion based on calculation

two calculations correct with a valid conclusion scores 2 marks

one correct calculation of k scores 1 mark

1

[13]

7

(a) wavelength correctly shown

1

(b) (i) increased

1

decreased

1

(ii) 17-18 inclusive

1

evidence of measurement divided by 3 or mean of 3 separate measurements

1

mm

accept cm if consistent with answer

1

(c) (i) red shift

1

(ii) moving away

1

- (iii) the furthest galaxies show the biggest red shift 1
- (meaning that) the furthest galaxies are moving fastest 1
- (so the) Universe is expanding 1
- (extrapolating backwards this suggests that) the Universe started from an initial point 1

- (iv) cosmic microwave background radiation 1
allow CMBR

[13]

- 8** (a) (i) infrared / IR 1

- (ii) UV / X-rays / gamma rays 1

*appropriate use corresponding with given wave:
dependent on first marking point*

- UV: security marking **or** tanning
 - X-rays: medical imaging **or** checking baggage
 - gamma rays: sterilising surgical instruments **or** killing harmful bacteria in food
- accept any sensible alternative uses*

1

- (b) D 1

gap must be comparable to wavelength
accept converse

1

can create gap of that size in classroom
dependent on first marking point

1

- (c) (i) Q 1

- (ii) sound waves reflected
*accept 'it' for sound waves
ignore bounce*

1

at EF 1

1

angle of incidence equal to angle of reflection

1

(iii) stop sound going direct from clock to ear

1

(iv) 22 (m)

*allow 1 mark for correct substitution, ie
330 = 15 × λ scores 1 mark*

2

(v) outside audible range

1

[14]

9

(a) (i) short sight

accept myopia

1

(ii) diverging

1

(b) light

1

- (c) Marks awarded for this answer will be determined by the quality of communication as well as the standard of the scientific response. Examiners should also apply a 'best-fit' approach to the marking.

0 marks

No relevant content

Level 1 (1–2 marks)

There is a basic description of one advantage **or** disadvantage of using **either** of the methods

Level 2 (3–4 marks)

There is a *description* of some advantages **and / or** disadvantages of using **both** methods

or

a full, detailed description of the advantages and disadvantages of using **either** of the methods.

Level 3 (5–6 marks)

There is a *clear description* of the advantages and disadvantages of using **both** methods.

examples of the points made in the response

extra information

laser surgery

advantages:

- *appearance*
- *permanent effect*
- no glasses which need changing

disadvantages:

- risks associated with surgery
- large cost
- not able to drive etc straightaway
- (still) might need glasses for reading

wearing glasses

advantages:

- able to function straightaway
- any problems easy to sort out

disadvantages:

- *easily broken*
- *easily lost*
- need changing
- overall cost might be greater if several changes in vision
- might eventually need two pairs of glasses

(d) move lens

1

closer to film

1

[11]

10

(a) decreases

correct order only

1

increases

1

(b) (i) intensity (of transmitted light) depends on thickness

or

to enable a valid comparison

or

it is a control variable

accept absorption depends on thickness

it would affect the results is insufficient

fair test is insufficient

1

(ii) transmits the least light

or

absorbs the most light

accept very little light is transmitted

*do **not** accept transmits none of the light*

*do **not** accept absorbs all of the light*

any reference to heat negates this mark

1

[4]

- 11** (a) transmits
correct order 1
- absorbs 1
- (b) light
allow ultra violet or UV or infrared or IR or gamma 1
- (c) 20
allow 1 mark for correct working, ie $\frac{60}{3}$ provided no subsequent step 2
- (d) Killing cancer cells 1
- 12** (a) long 1
- (b) lens A 1
- it is a concave / diverging lens
*this mark is only gained if lens A is stated
any reference to lens material or mass of lens negates this mark
allow it will focus light onto the retina* 1
- (c) The refractive index of the lens material 1
- (d) 4
ignore any signs
allow 1 mark for correct substitution, ie $\frac{1}{0.25}$ provided no subsequent step 2
- (e) Cauterising open blood vessels 1
- (f) 5
allow 1 mark for correct substitution, ie $\frac{70}{14}$ provided no subsequent step 2
- [6]
- [9]

13

- (a) (sound waves) which have a frequency higher than the upper limit of hearing for humans

or

a (sound) wave (of frequency) above 20 000 Hz

sound waves that cannot be heard is insufficient

a wave of frequency 20 000 Hz is insufficient

1

- (b) 640

an answer of 1280 gains 2 marks

allow 2 marks for the correct substitution

ie 1600×0.40 provided no subsequent step

allow 2 marks for the substitution $\frac{1600 \times 0.80}{2}$

provided no subsequent step

allow 1 mark for the substitution 1600×0.80 provided no subsequent step

allow 1 mark for the identification that time (boat to bed) is 0.4

3

- (c) any **one** from:

- pre-natal scanning / imaging
- imaging of a named organ (that is not surrounded by bone), eg stomach, bladder, testicles

accept heart

*do **not** allow brain **or** lungs (either of these negates a correct answer)*

- Doppler scanning blood flow

1

- (d) advantage

any **one** from:

- (images are) high quality or detailed or high resolution
clearer / better image is sufficient
- (scan) produces a slice through the body
- image can be viewed from any direction
allow images are (always) 3D / 360°
- an image can be made of any part (inside the body)
allow whole body can be scanned
- easier to diagnose **or** see a problem (on the image)

1

disadvantage

any **one** from:

- (the X-rays used **or** scans) are ionising
allow a description of what ionising is
- mutate cells **or** cause mutations **or** increase chances of mutations

allow for cells:

DNA / genes / chromosomes / nucleus / tissue

- turn cells cancerous **or** produce abnormal growths **or** produce rapidly growing cells
- kill cells
damage cells is insufficient
- shielding is needed
can be dangerous (to human health) unqualified, is insufficient

1

[7]

14

(for both fibres) increasing the wavelength of light decreases and then increases the percentage / amount of light transmitted

accept for 1 mark:

(for both fibres) increasing the wavelength (of light) to 5×10^{-7} metres), decreases the (percentage) transmission

1

(for both fibres) the minimum transmission happens at 5×10^{-7} metres)
or

maximum transmission occurs at 6.5×10^{-7} metres)

accept for a further 1 mark:

(for both fibres) increasing the wavelength of the light from 5×10^{-7} metres) increases the amount of light transmitted

increasing wavelength (of light), decreases the percentage transmitted is insufficient on its own

1

the shorter fibre transmits a greater percentage of light (at the same wavelength)

accept for 1 mark:

Any statement that correctly processes data to compare the fibres

1

[3]

15

(a) the oscillation / vibration (causing the wave)

a movement causes the wave is insufficient

1

for a transverse wave is perpendicular to the direction of energy transfer

accept direction of wave travel

1

and for a longitudinal wave is parallel to the direction of energy transfer

accept direction of wave travel

if no marks awarded allow 1 mark for correctly linking perpendicular with transverse and parallel with longitudinal

the marks may be scored by the drawing of two correctly labelled diagrams

1

- (b) for radio waves:
accept converse for each mark
- are transverse 1
- travel at speed of light / higher speed 1
- have greater frequencies 1
- can travel through vacuum
accept sound waves are not electromagnetic for 1 mark 1

[7]

16

- (a) (i) magnified 1
- upright 1
- (ii) $v = -6(\text{cm})$
max 2 marks if no minus sign
6(cm) gains 2 marks
 $1/v = 1/12 - 1/4 = -1/6$
gains 2 marks
 $1/12 = 1/4 + 1/v$
gains 1 mark
 $-5.99(\text{cm})$
using decimals gains 3 marks

3

- (b) it is virtual

1

[6]

17

- (a) (i) (visible) light
accept visible 1
- (ii) microwaves 1
- (b) J 1
- (c) (i) B 1
- (ii) shorter than 1

1

(d) (i) To find out if using a mobile phone is harmful to health

1

(ii) any **two** from:

- (X has a) low(er) SAR value
"it" refers to mobile phone
accept has a low(er) rate
- (maximum) energy absorbed (by the head) is less
accept energy emitted (by phone) is less
accept radiation for energy
- (if mobiles are harmful) less likely to cause harm
accept will not cause harm
accept it is safer

2

[8]

18

(a) C

1

(b) reflection at the mirror of ray from shoe to person's eye
may be drawn freehand

1

angle of incidence = angle of reflection


judged by eye
a ruler must have been used

1

arrow to show correct direction on either incident or reflected ray

only one arrow needed but if more drawn must be no contradiction
both incident and reflected ray must be shown

1



(c) virtual

1

[5]

- 19** (a) vibrate / oscillate
accept a correct description
move is insufficient 1
- (b) 336
allow 1 mark for correct substitution, ie $420 \times 0.8(0)$ provided no subsequent step shown 2
- 20** (a) (i) perpendicular
accept correct description 1 1
- (ii) light off – no / slow rotation 1
- light on – fast(er) rotation
accept starts rotating
ignore references to energy transfers 1
- (b) one ray drawn from wrist watch and reflected by mirror
accept solid or dashed lines 1
- two rays drawn from wrist watch and reflected by mirror with $i = r$ for both rays
judge angles by eye 1
- one ray traced back behind mirror
accept solid or dashed lines 1
- image in correct position
judged by eye
accept image marked where two reflected rays traced back cross behind the mirror 1
- (c) cannot be formed on a screen
accept image formed behind the mirror
- or**
- rays of light seem to come from it but do not pass through it 1
- 21** (a) 10^{-15} metres to 10^4 metres 1

[3]

(b) (i) any **one** from:

- (TV / video / DVD) remote controls
mobile phones is insufficient
- (short range) data transmission
accept specific example, eg linking computer peripherals
- optical fibre (signals)
*do **not** accept Bluetooth*

1

(ii) 0.17

- an answer 17 cm gains **3** marks*
*an answer given to more than 2 significant figures that rounds to 0.17 gains **2** marks*
*allow **1** mark for correct substitution, ie $3 \times 10^8 = 1.8 \times 10^9 \times \lambda$*

3

(c) (maybe) other factors involved

- accept a named 'sensible' factor, eg higher stress / sedentary lifestyle / overweight / smoking more / diet / hot office / age*
not testing enough people is insufficient
unreliable data is insufficient

1

[6]

22

(a) Marks awarded for this answer will be determined by the Quality of Written Communication (QWC) as well as the standard of the scientific response. Examiners should also refer to the information in the [Marking guidance](#), and apply a 'best-fit' approach to the marking.

0 marks

No relevant / correct content.

Level 1 (1-2 marks)

There is a basic description of either wave

OR

What happens to either wave when they enter the body. However there is little other detail.

Level 2 (3-4 marks)

There is either:

A clear description of BOTH waves

OR

A clear description as to what happens to BOTH waves inside the body

OR

A clear description of ONE of the waves with clear detail as to what happens to either wave inside the body.

Level 3 (5-6 marks)

There is a detailed description of BOTH of the waves

AND

A detailed description as to what happens to EITHER wave inside the body.

Examples of the points made in the response:**Description of an X-ray**

- X-rays are electromagnetic waves / part of the electromagnetic spectrum
*do **not** allow a description of a property – eg X-rays travel*
- X-rays are (very) high frequency (waves)
through a vacuum / at the speed of light
- X-rays are (very) high energy (waves)
- X-rays have a (very) short wavelength
- Wavelength (of X-rays) is of a similar size to (the diameter of) an atom
- X-rays are a transverse wave
correct description acceptable – oscillations / vibrations are perpendicular (at 90°) to direction of energy transfer
- X-rays are ionising radiation

Description of ultrasound

- ultrasound has a frequency above 20 000 (hertz)
- or**
- ultra sound is above 20 000 hertz
- ultrasound is above / beyond the human (upper) limit (of hearing)
accept ultrasound cannot be heard by humans
 - ultrasound is a longitudinal wave
correct description acceptable – oscillations / vibrations (of particles) are parallel (in same direction) to direction of energy transfer

Statement(s) as to what happens to X-rays inside the human body:

- X-rays are absorbed by bone
- X-rays travel through / are transmitted by tissue / skin

Statement as to what happens to ultrasound inside body:

- ultrasound is (partially) reflected at / when it meets a boundary between two different media
- travel at different speeds through different media

- (b) (because the X-rays) are ionising
accept a description of what ionising is

1

(they will) damage cells

instead of cell, any of these words can be used:

DNA / genes / chromosomes / nucleus

or

mutate cells / cause mutations / increase chances of mutations

or

turn cells cancerous / produce abnormal growths / produce rapidly growing cells

*do **not** accept they can be dangerous (to human health)*

*do **not** accept damage to soft tissue*

or

kill cells

1

- (c) any **one** from:

- removal / destruction of kidney / gall stones
- repair of damaged tissue / muscle
accept examples of repair, eg alleviating bruising, repair scar damage, ligament / tendon damage, joint inflammation
accept physiotherapy
*accept curing prostate cancer **or** killing prostate cancer cells*
- removing plaque from teeth
cleaning teeth is insufficient

1

[9]

23

- (a) any **two** correct construction lines:

if more than 2 construction lines treat as a list


2

- line passing straight through centre of lens (& out other side)
- line travelling parallel to principal axis & then being refracted through principal focus (on RHS)
- line travelling through principal focus (on LHS) & then being refracted to be parallel to principal axis (on RHS)

inverted image drawn (with arrow) in correct location

1

one arrowhead from object to image on any construction ray
conflicting arrowheads negate this mark



1

(b) any **two** from:

- inverted
accept upside down
- real
- diminished / smaller
*allow ecf if ray diagram wrongly drawn but descriptions must relate to **their image***
a converse negates mark, eg real and virtual scores zero

2

[6]

24

(a) (i) gamma

accept correct symbol

1

(ii) any **one** from:

- (ultraviolet has a) higher frequency
ultraviolet cannot be seen is insufficient
- (ultraviolet has a) greater energy
- (ultraviolet has a) shorter wavelength
ignore ultraviolet causes cancer etc

1

(b) $1.2 \times 10^7 / 12\,000\,000$

allow 1 mark for correct substitution, ie $3 \times 10^8 = f \times 25$

2

hertz / Hz / kHz / MHz

do **not** accept hz **or** HZ

answers 12 000 kHz **or** 12 MHz gain **3** marks

for full credit the numerical answer and unit must be consistent

1

- (c) (i) away (from each other)
 accept away (from the Earth)
 accept receding

1

- (ii) distance (from the Earth)
 accept how far away (it is)

1

speed galaxy is moving

1


- (iii) (Universe is) expanding

1

[9]

25

- (a) all three lines correct



allow **1** mark for each correct line

if more than one line goes from a device then all lines from that device are wrong

3

- (b) (i) skin cancer

do **not** accept cancer

do **not** accept sunburn

correct answer only

1

- (ii) other factors may be involved

accept may have been in the Sun too long

accept (over)-use of sunbeds and (over)- exposure to the Sun

(both) give the same symptoms

accept any other sensible factor that could lead to doubt

do **not** accept irrelevant answers eg may be run over by a car

do **not** accept killed by exposure to the Sun

1

- (iii) can assess risk
answers should be in terms of assessing our own health risk

or

make your own decision

accept so you limit its use / don't use one
*do **not** accept so you don't get skin cancer*
*do **not** accept so you don't get sunburn*

1

[6]

26

less / no light pollution

accept no / fewer streetlights

1

less cloud cover / above clouds

1

less atmospheric pollution

accept air for atmosphere
accept idea of thinner atmosphere
*do **not** accept closer to stars*

1

[3]

27

(a) (both graphs show an initial) increase in count rate

accept both show an increase

1

(b) only the right kidney is working correctly

1

any **two** from:

if incorrect box chosen maximum of 1 mark can be awarded
reference to named kidney can be inferred from the tick box

- count-rate / level / line for right kidney decreases (rapidly)
it decreases is insufficient
- count-rate / level / line for left kidney does not change
it does not change is insufficient
- radiation is being passed out into urine – if referring to right kidney
- radiation is not being passed out – if referring to the left kidney
- left kidney does not initially absorb as much technetium-99

2

[4]

- 28** (a) C or 0.18 mm 1
- (b) 0.6 (m)
allow 1 mark for correct substitution and/or transformation or 1 mark for changing frequency to Hz
answer 600 gains 1 mark 2
- (c) creates an alternating current
accept 'ac' for alternating current
accept alternating voltage 1
- with the same frequency as the radio wave
accept signal for radio wave
accept it gets hotter for 1 mark provided no other marks scored 1
- (d) X-rays cannot penetrate the atmosphere
accept atmosphere stops X-rays
do not accept atmosphere in the way
- or**
- X-rays are absorbed (by the atmosphere) before reaching Earth
ignore explanations 1
- [6]**
- 29** (a) (i) answer in the range 3.0 ↔ 3.1 inclusive
accept for 1 mark
 $3.6 \div 1.2$ or $3.7 \div 1.2$
or $36 \div 12$ or $37 \div 12$
or $18 \div 6$ or $18.5 \div 6$
or $10.2 \div 3.4$ or $102 \div 34$
or answer in the range but with a unit eg 3 cm 2
- (ii) (principal) focus / focal (point(s)) / foci / focus
accept 'focusses'
accept focals
do not accept focal length 1

- (iii) at the intersection of virtual / imaginary rays
or 'where virtual / imaginary rays cross'
or the rays of (real) light do not cross
or the image on the same side (of the lens) as the object
or the image is drawn as a dotted line
or the image is upright
do not accept 'cannot be put on a screen'
do not accept any response which refers to reflected rays

1

- (b) (i) another correct observation about relationship between values of **d**
example
15 is three times bigger than 5 but

1

(but) not the relationship between corresponding values for magnification
2.0 is not three times bigger than 1.2

1

- (ii) when the distance / **d** increases the magnification increases
or the converse
accept 'there is a positive correlation'
do not accept any response in terms of proportion / inverse proportion

1

- (iii) (student has) no evidence (outside this range)
accept data / results / facts for 'evidence'

1

[8]**30**

- (a) (i) X-ray(s)

1

- (ii) gamma rays

1

- (iii) infrared

1

- (b) the same speed as

1

- (c) (i) horizontal arrow drawn pointing to the right
judge by eye
accept drawn anywhere on diagram

1

- (ii) **Y**

1

(iii) any **one** from:

- any type of electromagnetic wave
accept electromagnetic wave(s)
- water (wave)
do not accept seismic waves
- (earthquake / seismic) S waves
do not accept P waves
do not accept earthquakes

1

(d) (i) 3

1

(ii) 3.6

or

their (d)(i) $\times 1.2$ correctly calculated

$$v = f \times \lambda$$

allow 1 mark for correct substitution

ie 3 or their (d)(i) $\times 1.2$ provided that no subsequent step is shown

2

[10]

31

(a) (i) to check rise in temperature (of other thermometers) was due to the (different wavelengths of) light

accept as a control / comparison

to measure room temperature is insufficient

1

(ii) any **two** from three:

- different colours produce different heating effects / (rises in) temperatures
- red light produces the greatest heating effect / (rise in) temperature

or

- violet produces the least heating effect / (rise in) temperature
- all colours produce a greater heating effect than outside the spectrum

an answer

the longer the wavelength the greater the (rise in) temperature

or

*the lower the frequency the greater the (rise in) temperature gains
both marks*

2

(b) move a thermometer into the infrared region / just beyond the red light

allow use an infrared camera / infrared sensor

1

the temperature increases beyond 24(°C)

accept temperature higher than for the red light

1

(c) $v = f \times \lambda$

$$9.4 \times 10^{-6}$$

accept 9.375×10^{-6} or 9.38×10^{-6}

or

$$0.0000094$$

accept 0.000009375

or *0.00000938*

allow 1 mark for correct substitution

ie $3 \times 10^8 = 3.2 \times 10^{13} \times \lambda$

2

(d) at night the surroundings are cooler

accept at night the air is colder

there is no heat from the Sun is insufficient

or

at night there is a greater temperature difference between people and surroundings

1

(so surroundings) emit less infrared (than in daytime)

accept camera detects a greater contrast

or

gives larger difference in infrared emitted (between people and surroundings)

1

[9]

32

(a) (i) converging

1

(ii) (x) 2

allow 1 mark for correct substitution

*ie 10/5 **or** 20/10 **or** 2/1*

ignore any units

2

(b) decreases

1


[4]

33

(a) (i) **two** correct rays drawn

1 mark for each correct ray

- ray parallel to axis from top of object **and** refracted through focus **and** traced back beyond object
- ray through centre of lens **and** traced back beyond object
- ray joining top of object to focus on left of lens taken to the lens refracted parallel to axis **and** traced back parallel to axis beyond object



2

an arrow showing the position **and** correct orientation of the image for their rays

*to gain this mark, the arrow must go from the intersection of the traced-back rays to the axis **and** the image must be on the same side of the lens as the object and above the axis*

1

(ii) (x) 3.0

accept 3.0 to 3.5 inclusive

or

$$\frac{\text{their image height}}{\text{object height}}$$

correctly calculated

*allow 1 mark for correct substitution into equation using their figures
ignore any units*

2

(b) any **two** from:

in a camera the image is:

- real not virtual

- inverted and not upright

accept upside down for inverted

- diminished and not magnified

accept smaller and bigger

accept converse answers but it must be clear the direction of the comparison

both parts of each marking point are required

2

[7]

34(a) any **two** from:

- travel (at same speed) through a vacuum / space
*do **not** accept air for vacuum*
- transverse
- transfer energy
- can be reflected
- can be refracted
- can be diffracted
- can be absorbed
- travel in straight lines

2

(b) can pass through the ionosphere

*accept atmosphere for ionosphere**do **not** accept air for ionosphere**accept travel in straight lines**accept not refracted / reflected / absorbed by the ionosphere*

1

(c) $v = f \times \lambda$

$$1.2 \times 10^6 / 1200\ 000$$

*allow **1** mark for correct substitution*

ie $3.0 \times 10^8 = f \times 2.5 \times 10^2$

2

hertz / Hz

*do **not** accept hz **or** HZ**accept kHz **or** MHz**answers 1.2 MHz **or** 1200 kHz gain all **3** marks**for full credit the unit and numerical value must be consistent*

1

[6]**35**

(a) two rays drawn from the bulb and reflected by the glass

*angle **I** = angle **R** judged by eye**allow **1** mark for one incident and reflected ray even if angle **I****doesn't equal angle **R***

2


at least one arrow drawn in correct direction

any conflicting arrows negate this mark

ignore any arrows drawn on construction lines behind the glass

1

position of image correct



judged by eye

1

- (b) image is formed by virtual / imaginary rays crossing
accept construction lines only show where the light seems to come from
accept the image is behind the glass / mirror
accept image is seen through the glass / mirror
accept (real) rays of light do not pass through the image
accept (real) rays do not cross
accept the image is a reflection (of the object)
accept the image is formed by reflection
*do **not** accept a virtual image can't be formed on a screen*
*do **not** accept the object / image is reflected*

1

[5]

36

- (a) higher frequency
general properties / uses are neutral
or
 shorter wavelength
*do **not** accept different frequency / wavelength / energy*
or
 greater energy
- (b) the same (speed)
accept they travel at the speed of light
- (c) pass through / transmitted by the plastic / casing
reflected by the metal / plates
*do **not** accept bounce / deflected etc for reflected*
*if neither marking point scores an answer reflected (back to boat / from the device) scores **1** mark*
- (d) (i) waves are not reflected from the walls
accept microwaves / radar for waves
*do **not** accept bounce / deflected etc for reflected*
or
 only waves (reflected) from the device are detected
accept to stop reflected waves affecting results

1

1

1

1

1

- (ii) different types (of device) can be compared
fair test is insufficient
accept idea that only one variable is then changed 1
- (iii) so (measurements / results / scientists) are not biased towards one type / manufacturer of device/s
accept to avoid bias
accept so they are not biased 1
- (e) (i) any **two** from:
if temperature is mentioned rather than angle a maximum of 1 mark can be scored
- (for any angle) **A** values < **B** values
or converse eg B values are higher / better / stronger
 - **A** values increase with (increasing) angle
accept weakest at 0° strongest at 15°
values go up is insufficient
 - **B** values decrease with (increasing) angle
accept strongest at 0° weakest at 15°
values go down is insufficient
 - **A** values do not vary as much (as **B** values)
- (ii) **D**
mark is for the reason
reason cannot score if D is not chosen
- values are always over 2(.0) 1

[10]

37

1.4

allow 1 mark for correct substitution
ie $14 \div 10$
or
 $28 \div 20$

[2]

- 38** (a) converging (lens)
accept 'con vex (lens)'
accept biconvex 1
- (b) (principal) foci
accept 'focus' / 'focuses' / 'focis'
focal point(s) 1
- (c) (i) formed where (real) rays (of light) intersect / meet / cross
accept rays (of light) pass through the image
accept 'image is on the opposite side (of the lens to the object)'
accept (construction) lines cross over
a response relating to a screen or similar is neutral
lines are solid and not dotted is neutral 1
- (ii) inverted
accept any unambiguous correct indication 1
- (d) (i) smooth curve which matches the points
*judge by eye but do **not** accept point to point by ruler or otherwise* 1
- (ii) continuous 1
- (iii) as distance increases, magnification decreases
accept negative correlation
a statement 'inversely proportional' is incorrect and limits maximum
mark for this part question to 1 1
- further detail eg magnification falls steeply between 40 and 50 cm
or
magnification begins to level out after / at 70 cm 1
- [8]**

- 39** (a) (i) (concave) mirror / reflector
*do **not** allow convex mirror / reflector* 1
- (ii) refraction 1
- (b) (i) converging 1

(ii) 4

*allow 1 mark for correct substitution
ie 20 / 5 or 4 / 1
ignore any units*

2

[5]**40**

(a) 85

1

(b) (i) thickness (of glass)

*accept how thick the glass is
do **not** accept light intensity*

1

(ii) transmits less infra red

*accept radiation / or heat for infra red
accept transmits less energy (at all wavelengths)
accept (glass **B**) absorbs more infra red
accept infra red is the same as heat
ignore reference to visible light*

1

infra red has a heating effect

or

infra red warms the room

*ignore references to conservatory
keeping cool*

1

[4]**41**

(a) (i) microwaves

1

(ii) can pass through the ionosphere

*accept travels in a straight line
accept atmosphere for ionosphere
do **not** accept air for ionosphere*

1

(b) higher the frequency, further the wave travels
(into the atmosphere before reflection)

1

(c) 15 000

allow 1 mark for correct transformation and substitution

$$\text{ie } \frac{300\,000\,000}{20}$$

*an answer of 15 000 000 only gains 1 mark**allow both marks for an answer of 15 MHz (unit must be changed)**an answer of 15 gains no credit*

2

[5]**42**

(a) (i) bat(s)

1

(ii) elephant(s)

1

(iii) any example in the inclusive range 5 ↔ 29 Hz / hertz

appropriate number and unit both required

1

(b) (i) **B**

1

(ii) **F**

1

[5]**43**

(a) (i) answer in the range 3.0 ↔ 3.1 inclusive

accept for 1

3.6 ÷ 1.2 or 3.7 ÷ 1.2

or 36 ÷ 12 or 37 ÷ 12

or 18 ÷ 6 or 18.5 ÷ 6

or 10.2 ÷ 3.4 or 102 ÷ 34

or answer in the range but with a unit eg 3 cm

2

(ii) (principal) focus / focal (point(s)) / foci / focus

*accept 'focusses'**accept focals**do **not** accept focal length*

1

- (iii) at the intersection of virtual / imaginary rays
or 'where virtual / imaginary rays cross'
or the rays of (real) light do not cross
or the image on the same side (of the lens) as the object
or the image is drawn as a dotted line
or the image is upright
do not accept 'cannot be put on a screen'
do not accept any response which refers to reflected rays

1

- (b) (i) another correct observation about relationship between values of **d** (1)

(but) not the same relationship between corresponding values for magnification (1)

example

15 is three times bigger than 5 but

2.0 is not three times bigger than 1.2

2

- (ii) when the distance / **d** increases the magnification increases

or the converse

accept 'there is a (strong) positive correlation'

do not accept any response in terms of proportion / inverse proportion

1

- (iii) (student has) no evidence (outside this range)

accept data / results / facts for 'evidence'

1

[8]

44

- (a) (i) infra red (rays)

accept IR

or

radio (waves)

do not accept heat waves

do not accept TV waves

1

- (ii) radio (waves)

this answer only

1

- (b) frequency

1

- (c) (i) *answer should be in terms of establishing if harmful or not harmful ie trying to clear up any uncertainty*
*do **not** accept answers that assume it is harmful*
eg Wi-Fi systems will make you ill

need to know if it is harmful / makes you ill

accept idea that safety issue may worry people

accept idea that (more) research may reassure people

accept idea of finding out (the truth)

1

- (ii) an opinion

1

[5]**45**

- (a) (i) any **two** from:

- travel at the same speed (through a vacuum)

accept travel at the speed of light

accept air for vacuum

- can travel through a vacuum / space

*do **not** accept air for vacuum*

- transfer energy

- can be reflected

- can be refracted

- can be diffracted

- can be absorbed

- can be transmitted

- transverse

accept any other property common to electromagnetic waves

accept travel at the same speed through a vacuum for both marks

*do **not** accept both radiated from the Sun*

2

- (ii) infra red

***both** required for the mark*

radio(waves)

accept IR for infra red

1

(b) 2 400 000 000

correct transformation and substitution gains 1 mark

$$\text{ie } \frac{3000000000}{0.125} \quad \text{or} \quad \frac{3000000000}{12.5}$$

*an answer of 24 000 000 gains 1 mark***either** 2 400 000 kHz**or** 2 400 MHz scores **3** marks but the symbol only scores the 3rd mark if it is correct in every detail

2

hertz

*accept Hz**do **not** accept hz*

1

(c) (i) presented (scientific) evidence / data

do an experiment / investigation is insufficient

1

(ii) to find out if there is a hazard (or not)

*accept to find out if it is safe**accept not enough evidence to make a decision**not enough evidence is insufficient*

1

[8]

46


(a) any **two** for **1** mark each

deduct (1) from the first two marks if a ruler has not been used but the intention is clear

ray from the object's arrowhead

- through centre of lens
- parallel to the axis then, when it reaches the lens, through F on the right
- through F on the left then, when it reaches the lens parallel to the axis

example of a 4 mark response



if more than two construction lines have been drawn all must be correct to gain 2 marks

construction lines drawn as dashed lines do not score credit

2

image shown as vertical line from axis to where their rays intersect

image need not be marked with an arrowhead but, if it is, it must be correct

1

ray direction shown

only one correct direction

arrow needed but there must not be any contradiction

1

(b) any **two** from:

- inverted
accept 'upside down'
- magnified
accept 'bigger'
- real
accept 'not virtual / not imaginary'
one correct feature gains 1 mark
ignore any reference to position
an incorrect feature negates a correct response

2

[6]**47**

(i) X-rays

infra red (rays)

radio (waves)

*all three in correct order**allow 1 mark for 1 correct*

2

(ii) to kill cancer cells

1

(iii) energy

1

[4]**48**

(a) (i) shorter than

1

(ii) increase slightly

1

(b) (i) go up in the same ratio
or (directly) proportional **or** as speed (of the tennis ball) increases so does the
(difference in) frequency

*accept as one goes up, so does the other**accept positive correlation*

1

(ii) 20 (m/s)

allow 1 mark for showing correct method on graph

(ie horizontal or vertical line anywhere on graph)

if indicated by a cross, must be \pm half square of correct value)

2

(iii) frequency and speed are both continuous variables

1

[6]