
1

The graph below shows the area of forest lost in Madagascar from 2009 to 2012.



| (a) | The area of forest lost each year in Madagascar increased between 2009 and 2012. |
|-----|--|
| | Determine the total area of forest lost from the start of 2009 to the end of 2012. |
| | |
| | |

Total area of forest lost = thousand hectares

(1)

www.tutorzone.co.uk

| | | s has been caused becau of | use less of the gas is being at | osorbed by |
|----|-------------------------|-------------------------------|---------------------------------|------------|
| | | | • | |
| | oxygen | photosynthesis | respiration | |
| | carbon dioxide | excretion | nitrogen | |
| | Use words from the box | k to complete the sentenc | es. | |
| c) | More forest was lost in | 2012 than in 2009. | | |
| | A company starts grow | ring plants for biofuels | | (2 |
| | More trees have been | planted | | |
| | The local people decid | ed to farm cattle | | |
| | Fewer new houses are | e needed for the population | n | |
| | The local people stop (| growing rice | | |
| | Tick two boxes. | | | |
| | | | | |

| (d) | Deforestation can have negative effects on our ecosystems. | www.tutorzone.co.ul |
|-----|--|---------------------------|
| | What are the negative effects of deforestation? | |
| | Tick two boxes. | |
| | Animals and birds migrate because there is less food | |
| | More habitats are destroyed | |
| | There is less acid rain | |
| | There is more biodiversity | |
| | The global temperature decreases | |
| | | (2) |
| (e) | Scientists try to reduce the negative effects of human activity on o | our ecosystems. |
| | One way is to protect rare habitats. | |
| | Give one other way of reducing the negative effects of human ac | tivity on our ecosystems. |
| | | |
| | | (1) (Total 8 marks) |

| \mathbf{a} | |
|--------------|--|
| 7 | |
| _ | |

A gardener wants to add compost to the soil to increase his yield of strawberries.


| | The | gardener | wants | to | make | his | own | com | post. |
|--|-----|----------|-------|----|------|-----|-----|-----|-------|
|--|-----|----------|-------|----|------|-----|-----|-----|-------|

| (a) | An airtight compost heap causes anaerobic decay. | | | | | | |
|-----|---|-------------------------------|---------------------------------|-----------------------|-----|--|--|
| | Explain why the gardener might be against producing compost using this method. | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | (2) | | |
| (b) | The gardener finds | this research on the | Internet: | | | | |
| | 'A carbon to nitrog | en ratio of 25:1 will | produce fertile comp | ost.' | | | |
| | Look at the table be | elow. | | | | | |
| | Type of material to compost | Mass of carbon in sample in g | Mass of nitrogen in sample in g | Carbon:nitrogen ratio | | | |
| | Chicken manure | 8.75 | 1.25 | 7:1 | | | |
| | Horse manure | 10.00 | 0.50 | 20:1 | | | |
| | Peat moss | 9.80 | 0.20 | Х | | | |
| | Determine the ratio | X in the table above |). | | | | |
| | | | | | | | |
| | Ratio(1) | | | | | | |
| (c) | Which type of material in the table above would be best for the gardener to use to make his compost? | | | | | | |
| | Justify your answer. | | | | | | |
| | | | | | | | |
| | (1) | | | | | | |

| Some of the leaves from the gardener's strawberry plant die. | |
|---|-----|
| The dead leaves fall off the strawberry plant onto the ground. | |
| The carbon in the dead leaves is recycled through the carbon cycle. | |
| Explain how the carbon is recycled into the growth of new leaves. | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | (6) |
| | (-) |

(d)

- (e) The diagram below shows two strawberries.
 - Both strawberries were picked from the same strawberry plant.
 - Both strawberries were picked 3 days ago.
 - The strawberries were stored in different conditions.



| A @ sarahdoow/iStock/Thinkstock, B @ Mariusz Vlack/iStock/Thinkstock | |
|---|------------------|
| Give three possible reasons that may have caused strawberry A to decay. | |
| 1 | |
| | |
| 2 | |
| | |
| 3 | |
| | |
| | (3) |
| | (Total 13 marks) |


(a)

A grassy field on a farm measured 120 metres by 80 metres.

A student wanted to estimate the number of buttercup plants growing in the field.

The student found an area where buttercup plants were growing and placed a 1 m \times 1 m quadrat in one position in that area.

Figure 1 shows the buttercup plants in the quadrat.



The student said, 'This result shows that there are 115 200 buttercup plants in the field.'

| (i) | How did the student calculate that there were 115 200 buttercup plants in the field? | |
|------|--|-----|
| | | |
| | | |
| | | (2) |
| (ii) | The student's estimate of the number of buttercup plants in the field is probably not accurate. This is because the buttercup plants are not distributed evenly. | |
| | How would you improve the student's method to give a more accurate estimate? | |
| | | |
| | | |
| | | |
| | | |

(2)


Sunlight is one environmental factor that might affect the distribution of the buttercup

| piari | io. | |
|-------|---|-----|
| (i) | Give three other environmental factors that might affect the distribution of the buttercup plants. | |
| | 1 | |
| | 2 | |
| | 3 | |
| | | (3) |
| (ii) | Explain how the amount of sunlight could affect the distribution of the buttercup plants. | |
| | | (3) |

(b)

Figure 2 is a map showing the position of the farm and a river which flows through it.

Figure 2



Every year, the farmer puts fertiliser containing mineral ions on some of his fields. When there is a lot of rain, some of the fertiliser is washed into the river.

When fertiliser goes into the river, the concentration of oxygen dissolved in the

(i)

(ii)

| water decreases. | |
|---|-----|
| Explain why the concentration of oxygen decreases. | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | (5) |
| There is a city 4 km downstream from the farm. | |
| Apart from fertiliser, give one other form of pollution that might go into the river as it flows through the city. | |
| | |


(d) Three sites, **A**, **B** and **C**, are shown in **Figure 2**.

Scientists took many samples of river water from these sites.

The scientists found larvae of three types of insect in the water: mayfly, stonefly and caddisfly. For each type of insect the scientists found several different species.

The scientists counted the number of different species of the larvae of each of the three types of insect.

Figure 3 shows the scientists' results.



| | Site A Site B Site C | |
|-----|---|-------|
| | How many more species of mayfly were there at Site B than at Site A ? | (i) |
| (1) | | |
| | Suggest what caused this increase in the number of species of mayfly. | (ii) |
| | | |
| (1) | | |
| | The scientists stated that the number of species of stonefly was the best indicator of the amount of oxygen dissolved in the water. | (iii) |
| (1) | Use information from Figure 3 to suggest why. | |
| | (Total 19 | |

| The release of s | ulfur dioxide affects o | ur environment. | |
|---------------------------------------|-------------------------|--------------------------------|------------------|
| The graph show 2001 to 2011. | s how the mass of sul | fur dioxide released in the UK | has changed from |
| | 1500 | | |
| | 1400 | | |
| | 1300 | | |
| | 1200 | | |
| Mass of | 1100 | | |
| Mass of sulfur dioxide released | | | |
| in thousands of tonnes | 1000 | | |
| or tormoo | 900 | | |
| | 800 | | |
| | 700 | \sim | |
| | 600 | | |
| | 500 | | |
| | 2001 2002 2003 | 2004 2005 2006 2007 2008 2 | 2000 2010 2011 |
| | 2001 2002 2003 | Year | .009 2010 2011 |
| (i) Describe tl | he pattern shown in th | e graph. | |
| | | • | |

In 2001, 1400 thousand tonnes of sulfur dioxide were released. (ii)


By which year had the amount of sulfur dioxide released reduced to half of this

(2)

| | | amount? | www.tutorzone. | co.ul |
|-----|-------|--|------------------------------------|--------------|
| | | | | |
| | | | | |
| | (:::\ | | | (2) |
| | (iii) | Give one problem caused when sulfur dioxide gas | | |
| | | | | (1) |
| (c) | Carb | oon dioxide is another gas that affects the environme | nt. | |
| | | ch two of the following help to reduce the levels of cang carbon dioxide? | arbon dioxide in the atmosphere by | |
| | Tick | (✓) two boxes. | | |
| | An | imals respiring | | |
| | | arbon dioxide being absorbed in oceans and ses | | |
| | Ph | otosynthesis by trees | | |
| | Th | e production of biogas | | |
| | | | (Total 8 ma | (2) irks) |

Human activities have many effects on our ecosystem.

The graph shows the volume of peat compost and peat-free compost used in gardening from 1999 to 2009.



| a) | Describe the trends shown in the graph. | |
|----|--|---------------|
| | | |
| | | |
| | | |
| | | |
| | | (2) |
| b) | What effect does the destruction of peat bogs have on the gases in the atmosphere? | , , |
| | | |
| | | (1) |
| c) | Deforestation is also damaging ecosystems. | |
| | Describe one effect of deforestation on ecosystems. | (4) |
| | (Total 4 m | (1) narks) |

www.tutorzone.co.uk In many areas of the world the mass of household waste produced each year is increasing.

| (a) | Give two reasons why the mass of household waste is increasing each year. | |
|-----|--|-----|
| | 1 | |
| | | |
| | 2 | |
| | | (0) |
| | | (2) |

(b) The table below shows how the mass of household waste in the UK has changed from 2004 to 2012.

| Year | Total mass of household waste in thousands of tonnes (including total household recycling) | Total mass of household recycling in thousands of tonnes | Percentage of household waste recycled |
|------|--|--|--|
| 2004 | 25 658 | 5785 | 22.5 |
| 2006 | 25 775 | 7976 | 30.9 |
| 2008 | 24 334 | 9398 | 38.6 |
| 2010 | 23 454 | 9733 | |
| 2012 | 22 643 | 9782 | 43.2 |

| (i) | Calculate the percentage of household waste recycled in 2010. | | |
|-----|---|--|--|
| | | | |
| | | | |
| | | | |
| | | | |
| | % | | |

(2)

| a 'zero waste economy', we reduce, reuse and recycle as much waste as possible. | |
|---|--|
| newspaper concluded that: 'The government's 'zero waste economy' has been accessful.' | |
| se information from the table to describe the reasons for and against the wspaper's conclusion. | |
| | |
| | |
| | |
| ······································ | 4) |
| ome waste releases carbon dioxide and methane into the atmosphere. n increase in carbon dioxide and methane contributes to global warming. | |
| obal warming can cause sea levels to rise. | |
| escribe two other possible effects of global warming on our environment. | |
| | |
| oring the carbon dioxide helps to prevent more global warming. arbon dioxide can be stored (sequestered) in trees when they photosynthesise. | 2) |
| ve one different way in which carbon dioxide is sequestered in our environment. | |
| | 1) s) |
| | newspaper concluded that: 'The government's 'zero waste economy' has been ccessful.' re information from the table to describe the reasons for and against the wspaper's conclusion. The waste releases carbon dioxide and methane into the atmosphere. I increase in carbon dioxide and methane contributes to global warming. The other possible effects of global warming on our environment. The carbon dioxide helps to prevent more global warming. The carbon dioxide helps to prevent more global warming. The carbon dioxide helps to prevent more global warming. The carbon dioxide helps to prevent more global warming. The carbon dioxide helps to prevent more global warming. The carbon dioxide helps to prevent more global warming. The carbon dioxide helps to prevent more global warming. The carbon dioxide helps to prevent more global warming. The carbon dioxide helps to prevent more global warming. The carbon dioxide helps to prevent more global warming. |

(ii) The UK government has been encouraging a 'zero waste economy'.

Freshwater streams may have different levels of pollution. The level of pollution affects which species of invertebrate will live in the water.

Table 1 shows the biomass of different invertebrate species found in two different streams, ${\bf X}$ and ${\bf Y}$.


Table 1

| | Biomass in g | |
|----------------------|--------------|----------|
| Invertebrate species | Stream X | Stream Y |
| Mayfly nymph | 4 | 0 |
| Caddis fly larva | 30 | 0 |
| Freshwater shrimp | 70 | 5 |
| Water louse | 34 | 10 |
| Bloodworm | 10 | 45 |
| Sludge worm | 2 | 90 |
| Total | 150 | 150 |

- (a) The bar chart below shows the biomass of invertebrate species found in **Stream X**.
 - (i) Complete the bar chart by drawing the bars for water louse, bloodworm and sludge worm in **Stream Y**.

Use the data in **Table 1**.





(ii) **Table 2** shows which invertebrates can live in different levels of water pollution.


Table 2

| Pollution level | Invertebrate species likely to be present |
|------------------|---|
| Clean water | Mayfly nymph |
| Low pollution | Caddis fly larva, Freshwater shrimp |
| Medium pollution | Water louse, Bloodworm |
| High pollution | Sludge worm |

| Which stream, X or Y , is more polluted? Jse the information from Table 1 and Table 2 to justify your answer | r. |
|---|----|
| | |
| | |
| | |
| | |

(2)

(b) There is a sewage works near another stream, **Z**.




An accident caused sewage to overflow into Stream Z.

Two weeks later scientists took samples of water and invertebrates from the stream.


They took samples at different distances downstream from where the sewage overflowed.

The scientists plotted the results shown in **Graphs P** and **Q**.

Graph P: change in water quality downstream of sewage overflow



Graph Q: change in invertebrates found downstream of sewage overflow



www.tutorzone.co.uk

| (i) | Describe the patterns shown in Graph P . | |
|------|--|-----|
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | (4) |
| (ii) | Describe the relationship between dissolved oxygen and the survival of mayfly nymphs in Stream Z . Suggest a reason for the pattern you have described. | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | (3) |
| Man | y microorganisms are present in the sewage overflow. | |
| Ехр | lain why microorganisms cause the level of oxygen in the water to decrease. | |
| | | |
| | | |
| | | |
| | | (2) |
| | (Total 13 m | |

(c)

Herring are a type of fish found in the North Sea. Herring are caught using nets which are pulled by large boats.


The photographs show a fishing boat and some herring.



By Atle Grimsby from Utsira, Norway (Herring Catch at Utsira) [CC-BY-2.0 (http://creativecommons.org/licenses/by/2.0)], via Wikimedia Commons.

The herring population in the North Sea has changed a lot in recent years.

The graph shows the estimated biomass of herring in the North Sea between 1965 and 2010.




| (a) | | gest why the biomass can only be estimated. | |
|-----|-------|---|-----|
| | lick | x (✔) one box. | |
| | Scie | entists are not properly trained. | |
| | The | ere are too many different types of fish in the sea. | |
| | It is | impossible to weigh all the herring in the sea. | |
| (b) | (i) | Describe the pattern shown in the graph from 1978 to 1983. | (1) |
| | (ii) | Suggest a reason for the pattern you have described in part (b) (i). | (1) |
| (c) | In 19 | 996 the Government brought in strict rules to help to conserve fish stocks. | (1) |
| | (i) | State two rules that would help to conserve fish stocks. | |
| | () | 1 | |
| | | | |
| | | 2 | |
| | (ii) | Were the Government's rules effective? | (2) |
| | () | Use data from the graph to support your answer. | |
| | | | |
| | | | |
| | | | |
| | | | (2) |

www.tutorzone.co.uk Why should fish stocks be kept above a certain minimum level? (1) (iv) The Government did not introduce rules about the amount of herring caught until 1977. This was in response to a dramatic decrease in herring stocks. What was the percentage decrease in herring stocks between 1965 and 1977? Percentage decrease = (2) Herring migrate to feed and spawn (lay eggs). The eggs normally take about 3 weeks to hatch at 12 °C. If the temperature of the water is higher the eggs will hatch more quickly. But, if the temperature of the water is above 19 °C, the eggs will die. Other fish, such as cod, feed on herring. Suggest how climate change could affect North Sea fish.

(d)

(4) (Total 14 marks) Lichens can be used as air pollution indicators.

The graph below shows the number of lichen species found growing on walls and trees at increasing distances from a city centre.



| (a) | (i) | How many species of lichen are found on walls 2 km from the city centre? | | | | |
|-----|------|--|-----|--|--|--|
| | | | (1) | | | |
| | (ii) | Describe the patterns in the data. | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |

(3)

 $\begin{tabular}{ll} www.tutorzone.co.uk\\ The table below shows the concentration of sulfur dioxide (SO_2) in the air at different \\ \end{tabular}$ (b) distances from the same city centre.

| Distance from city centre in km | SO ₂ concentration in g per m ³ |
|---------------------------------|---|
| 0 | 200 |
| 3 | 160 |
| 8 | 110 |
| 13 | 85 |
| 18 | 65 |

| Suggest how the data in the table could explain the patterns in the graph above. | |
|--|--|
| | |
| | |

Page 24 of 69

(2)

(c) Nitrogen oxides are also air pollutants.


The main source of nitrogen oxide pollution comes from road vehicles.

Different lichen species vary in their tolerance of the levels of nitrogen oxides in the air.

Some lichens can only grow in very clean air where there are low levels of nitrogen oxides. They are nitrogen-sensitive.

Some lichens grow very well in high levels of nitrogen oxides. They are nitrogen-loving.

The table below shows one lichen species which is nitrogen-sensitive and one lichen species which is nitrogen-loving.



Usnea © epantha/iStock/Thinkstock; Xanthoria By Zakwitnij!pl Ejdzej + Iric (CC BY-SA.2.0) via wikicommons

(i)

| Describe how you would investigate the distribution of the two lichens at different distances into a wood from a main road. | |
|---|--|
| | |
| | |
| | |
| | |
| | |
| | |
| | |

(3)

| | | (ii) | Predict the results from the experiment you described in your answer to part Explain why you made this prediction. | vw.tutorzone.co. (c)(i). | uk |
|----|-----|------|---|-----------------------------|-----------|
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | (3 Total 12 marks) | |
| 10 | (a) | | cribe three ways in which large-scale deforestation in tropical areas has incre centration of carbon dioxide in the atmosphere. | eased the | |
| | | 1 | | | |
| | | 2 | | | |
| | | | | | |
| | | | | | |
| | (b) | Sug | gest two reasons why deforestation also causes a reduction in biodiversity. | (3 | i) |
| | | | | | |
| | | | | | |
| | | | | (2 | 2) |

uk

|) Sc | cien | tists are thinking of new ways t | o try to repair the damage done | by deforestation. |
|-------------------------------|--------|--|---|--|
| O | ne v | way is by carbon sequestration. | | |
| (i) |) | What is carbon sequestration | 1? | |
| | | | | |
| | | | | |
| (ii) | i) | Suggest one way in which carb | oon can be sequestered. | |
| | | | | |
| | | | | |
| | | | | |
| | | | | (Total 7 m |
| e tab | ole b | er of fish in the oceans is decrear | asing. the mass of fish caught by UK fis | |
| e tab d 201 | ole b | elow shows information about to Mass of fish caught by UK fishermen from ALL SOURCES | Mass of fish caught by UK fishermen from SUSTAINABLE SOURCES | |
| e tab d 201 | ole b | elow shows information about to the shows information about to the shows information about the shows information a | the mass of fish caught by UK fis Mass of fish caught by UK fishermen from | Percentage of fish caught from |
| e tab d 201 'ear | ole b | elow shows information about to Mass of fish caught by UK fishermen from ALL SOURCES | Mass of fish caught by UK fishermen from SUSTAINABLE SOURCES | Percentage of fish caught from sustainable |
| e tab d 201 /ear | ole b | elow shows information about to the shows information about to the shows of fish caught by UK fishermen from ALL SOURCES in thousands of tonnes | Mass of fish caught by UK fishermen from SUSTAINABLE SOURCES in thousands of tonnes | Percentage of fish caught from sustainable sources |
| | ole b | Mass of fish caught by UK fishermen from ALL SOURCES in thousands of tonnes | Mass of fish caught by UK fishermen from SUSTAINABLE SOURCES in thousands of tonnes | Percentage of fish caught from sustainable sources |
| Year 2002 | ole b | Mass of fish caught by UK fishermen from ALL SOURCES in thousands of tonnes 690.0 | Mass of fish caught by UK fishermen from SUSTAINABLE SOURCES in thousands of tonnes 427.8 396.6 | Percentage of fish caught from sustainable sources 62.0 60.5 |
| /ear 2002 2004 | ole b | Mass of fish caught by UK fishermen from ALL SOURCES in thousands of tonnes 690.0 655.0 619.0 | Mass of fish caught by UK fishermen from SUSTAINABLE SOURCES in thousands of tonnes 427.8 396.6 386.0 | Percentage of fish caught from sustainable sources 62.0 60.5 |
| /ear 2002 2004 2006 | ole bo | Mass of fish caught by UK fishermen from ALL SOURCES in thousands of tonnes 690.0 655.0 619.0 589.0 | Mass of fish caught by UK fishermen from SUSTAINABLE SOURCES in thousands of tonnes 427.8 396.6 386.0 436.1 | Percentage of fish caught from sustainable sources 62.0 60.5 62.4 74.0 |

Page 27 of 69

(2)

.....%

| (ii) | Describe the pattern in the table above for the mass of fish caught from all sources. | .co.u |
|-------|---|-------|
| | Suggest reasons for this pattern. | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | (4) |
| (iii) | Suggest why the percentage of fish caught from sustainable sources is increasing. | (4) |
| | | |
| | | (1) |
| Give | e two methods of maintaining fish stocks at a sustainable level. | |
| 1 | | |
| 2 | | (2) |

The image below shows a fish farm. (c)

(b)



© debsthelio/iStock/Thinkstock

In a fish farm, large numbers of fish are grown in cages in the sea.

| Why do fish in the cages grow faster than fish of the same species that are free in the sea? fou should refer to energy in your answer. | |
|---|----------|
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| (Total 13 mark | 4) s) |

12

In this question you will be assessed on using good English, organising information clearly and using specialist terms where appropriate.

Deforestation affects the environment.

Deforestation is causing a change in the amounts of different gases in the atmosphere. This change causes global warming and climate change.

The image below shows an area of deforestation.



© Nivellen77/iStock/Thinkstock

| Describe how deforestation is causing the change in the amounts of different gases in the atmosphere. |
|---|
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| Fytre energy |
| Extra space |
| |
| |
| |
| |
| |
| |
| |
| (Total 6 marks) |

Give the reasons why deforestation is taking place.

Scientists have produced many different types of GM (genetically modified) food crops.

| | clones | chromosomes | embryos | genes |
|------|------------------------|-------------------------------|----------------------------|-----------------|
| ЭМ | crops are produce | d by cutting | out of the | |
| | | of one plant and inser | ting them into the cells o | f a crop plant. |
| Rea | d the information a | about GM food crops. | | |
| | Herbicide-resista | nt GM crops produce highe | er yields. | |
| | Scientists are un | certain about how eating G | M food affects our health | 1. |
| | Insect-resistant (| GM crops reduce the total u | se of pesticides. | |
| | GM crops might | breed naturally with wild pla | nts. | |
| | Seeds for a GM | crop can only be bought fro | m one manufacturer. | |
| • | The numbers of | oees will fall in areas where | GM crops are grown. | |
| Use | this information to | answer these questions. | | |
| (i) | Give two reason | s why some farmers are in | favour of growing GM cr | ops. |
| | 1 | | | |
| | | | | |
| | 2 | | | |
| | | | | |
| /::\ | Civo two rosson | s why many people are aga | pinet the growing of CM | orono |
| (ii) | | | | · |
| | 1 | | | |
| | | | | |

(2) (Total 6 marks)

(2)

(1)

(Total 5 marks)

| 14 | Defo | restat | tion affects the environment in many ways. | www.tutorzo |
|----|------|--------|--|-------------|
| | (a) | Defo | prestation increases the amount of carbon dioxide in the atmosphere. | |
| | | Give | e two reasons why. | |
| | | 1 | | |
| | | | | |
| | | 2 | | |
| | | | | |
| | (b) | Defo | prestation also results in a loss of <i>biodiversity</i> . | |
| | | (i) | What is meant by biodiversity? | |
| | | | | |
| | | | | |
| | | (ii) | Give two reasons why it is important to prevent organisms becoming extended | tinct. |

.....


2

Page 32 of 69

15

The diagram shows a fermenter. This fermenter is used for growing the fungus *Fusarium*.

Fusarium is used to make mycoprotein.



| (a) | Bubbles of air enter the fermenter at A . | |
|-----|--|-----|
| | Give two functions of the air bubbles. | |
| | 1 | |
| | | |
| | 2 | |
| | | (2) |
| (b) | Why is glucose added to the fermenter? | |
| | | |

(1)

| (c) | | fermenter is prevented from overheating by the cold water flowing in through the heat anger coils at C . | co.u |
|-----|-------|---|------|
| | Nam | e the process that causes the fermenter to heat up. | |
| | | | (1) |
| (d) | It is | important to prevent microorganisms other than Fusarium growing in the fermenter. | |
| | (i) | Why is this important? | |
| | | | |
| | | | (1) |
| | (ii) | Suggest one way in which contamination of the fermenter by microorganisms could be prevented. | |
| | | | |
| | | | (1) |

Human cells cannot make some of the amino acids which we need. We must obtain these (e) amino acids from our diet.

The table shows the amounts of four of these amino acids present in mycoprotein, in beef and in wheat.

| Name of | Amount | Daily amount needed by a 70 kg human | | |
|---------------|-------------|--|-------|-------|
| amino acid | Mycoprotein | Beef | Wheat | in mg |
| Lysine | 910 | 1600 | 300 | 840 |
| Methionine | 230 | 500 | 220 | 910 |
| Phenylalanine | 540 | 760 | 680 | 980 |
| Threonine | 610 | 840 | 370 | 490 |

A diet book states that mycoprotein is the best source of amino acids for the human diet.

| | | Evaluate this statement. | |
|----|-----|--|------------------|
| | | Remember to include a conclusion in your evaluation. | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | (4) |
| | | | (Total 10 marks) |
| 16 | Hum | an activities affect the environment. | |
| | (a) | Deforestation results in an increase in carbon dioxide levels in the atmosphere. | |
| | | Give two reasons why. | |
| | | | |
| | | | |
| | | | |
| | | | (2) |
| | | | (2) |

| and using specialist terms where appropriate. A dairy farmer washes out his cow shed each day. The waste water contains urine and | | | | | |
|--|--|--|--|--|--|
| faeces. The waste water overflows into a stream by mistake. | | | | | |
| The waste water will have an effect on the plants and invertebrates living in the stream. | | | | | |
| Explain why. | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |

(b)

(Total 8 marks)

Human activities affect the environment.

(a) List A gives four human activities.

List B gives the effect of the activities on the environment.

Draw **one** line from each human activity in **List A** to its effect on the environment in **List B**.

| List A Human activity | List B Effect on the environment |
|--|---|
| | Adds methane to the atmosphere |
| Digging a new quarry | |
| | Pollutes hedges around fields |
| Spraying pesticides on crops | |
| | Reduces the land available for wild animals |
| Growing rice | |
| | Produces lots of litter |
| Driving cars that release sulfur dioxide | |
| | Produces acid rain |
| | L |


| (b) | Hun | nan activities are increasing <i>global warming</i> . | www.tutorzone.co.ul |
|-----|-------------|--|------------------------|
| , , | | e two effects of <i>global warming</i> on the environment. | |
| | 1 | | |
| | | | |
| | 2 | | |
| | | | |
| | | | (2) (Total 6 marks) |
| | | s have discovered that curry spices affect sheep and cattle. Curry spices ca | n reduce the |
| | | eria in the animal's stomach produce methane. About 12% of the animal's foonto methane. | od is |
| | - | spice coriander works like an antibiotic. Adding coriander to animal food reproduction by about 40%. | educes |
| (a) | (i) | Why does adding coriander to an animal's food reduce methane production | on? |
| | | | |
| | (::) | | (1) |
| | (ii) | Explain one advantage to a farmer of adding coriander to the animal's foc | od. |
| | | | |
| | | | |
| | | | (2) |

| (b) | Farm animals give off large amounts of methane. | www.tutorzone.co.ul |
|-----|---|---------------------|
| | Explain the effects of adding large amounts of methane to the atmosphere. | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |

(Total 6 marks)

Large-scale deforestation is taking place in Brazil. 19

The pie chart shows the causes of deforestation in Brazil.




| (a) | Calculate the percentage of forest that has been destroyed for cattle ranches. |
|-----|--|
| | Show clearly how you work out your answer. |
| | |
| | |
| | Percentage = |

www.tutorzone.co.uk

| (b) | Cattle give off large amounts of methane into the atmosphere. | www.tutorzone.co.uk |
|-----|---|---------------------|
| | The methane causes the Earth's temperature to increase. | |
| | Give two effects of the temperature increase on the environment. | |
| | 1 | |
| | | |
| | 2 | |
| | | (2) |
| | | (Total 4 marks) |

In South Asia, forests are being cleared to grow palm oil trees. The palm oil is mainly used to produce fuel for motor vehicles.

The graph shows the production of palm oil in one South Asian country.



(a) Calculate the mean increase in palm oil production per year for the five year period 2000 to 2005.

| | Mean increase = | millions of tonnes per year |
|--------------|---------------------------------|-----------------------------|
| | | |
| | | |
| show clearly | y how you work out your answer. | |

| Clearing forests and replacing the forests with palm oil trees to produce fuel for motor vehicles will affect the composition of the atmosphere. |
|--|
| Explain how. |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| (5) (Total 7 marks) |

(b)

The photographs show some ways in which humans affect the environment.

(a) Coal-burning power stations give off smoke. The smoke contains many different gases.



By Norbert Kaiser (English: own work.) [CC-BY-SA-3.0], via Wikimedia Commons

Draw a ring around the correct answer to complete each sentence.

(i) The gas which causes global warming is

carbon dioxide.

oxygen.

sulfur dioxide.

(1)

(ii) The gas which causes acid rain is

methane.

oxygen.

sulfur dioxide.

(b) The photograph shows a quarry.



By Thomas Bjørkan (Own work) [CC-BY-SA-3.0], via Wikimedia Commons

Draw a ring around the correct answer to complete each sentence.

(i) Quarrying

releases methane into the atmosphere.

increases biodiversity.

reduces land available for animals and plants.

(1)

(ii) Quarrying can be reduced by recycling

metals.

paper.

plastic

(c) The photograph shows a farmer spraying fruit trees.



Photograph supplied by Hemera/Thinkstock

Chemicals in the spray kill insects on the trees.

Draw a ring around the correct answer to complete each sentence.

(i) The spray contains

fertiliser.

herbicide.

pesticide.

(1)

(ii) The chemical in the spray might also

kill other animals.

kill plants.

increase biodiversity.

(1) (Total 6 marks)

Soay sheep live wild on an island off the north coast of Scotland. No people live on the island.



By Owen Jones = Jonesor [CC-BY-SA-2.5], via Wikimedia Commons

Over the last 25 years, the average height and mass of the wild Soay sheep have decreased.

The scientists think that climate change might have affected the size of the sheep.

| (a) | More | Soay sheep are now able to survive winter than 25 years ago. | |
|-----|------|---|------------------------|
| | Wha | t change in the climate may have helped more Soay sheep to survive winters | ? |
| | | | |
| | | | (1) |
| (b) | Com | plete the sentences. | |
| | (i) | Soay sheep show variation in size because of differences in their | |
| | | | (1) |
| | (ii) | The change in the size of the Soay sheep over 25 years can be explained by Darwin's | / |
| | | theory of | (1) (Total 3 marks) |


Lichens are sensitive to the amount of sulfur dioxide in the atmosphere. They are used as indicator species for the amount of air pollution. Air pollution is generally higher in town centres than in the countryside.

Students investigated the relationship between lichen species and distance from a town centre.

- On a map, they drew a transect (line) from the centre of the town to the countryside.
- They examined sites every 200 metres along the transect (line).
- At each site, they recorded the lichen species growing on trees and walls up to a height of 2 metres.

The graph shows their results.

The lines on the graph indicate the range of each lichen species.




| (a) | Giv | re one way in which the students could have obtained more accurate results. | |
|-----|-----|--|-----|
| | | | |
| | | | (1) |
| (b) | (i) | Which lichen species was found over the greatest range? | |
| | | | (1) |

www.tutorzone.co.uk

| | (ii) | Which lichen species grows only in the least polluted air? | www.tutorzone.co.ur |
|-----|------|---|---------------------|
| | | | (1) |
| (c) | | e student concluded 'You can tell how much sulfur dioxide there is in the air ount of <i>Lecanora</i> growing'. | by the |
| | Give | e two reasons why this is not a valid conclusion. | |
| | 1 | | |
| | | | |
| | 2 | | |
| | | | (2) |
| | | | (Total 5 marks) |

Some people are concerned about the distance that food is transported between the grower and the supermarket.

The bar chart shows the distances for some foods.



(a) Both imported carrots and carrots grown locally in the UK can be bought in supermarkets all year round.


How many times further are imported carrots transported than carrots grown locally in the UK?

| Show clearly flow you work out your answer. | |
|---|----|
| | |
| | |
| | |
| | |
| time | es |

(Total 5 marks)

In many parts of the world, forests are being chopped down (deforestation) so that the land can be used to grow food crops. In other parts, trees are planted to produce new forests.

The graph shows how the area of forest in each of the continents is changing each year.



Change in area of forest in thousands of km2 per year

| (a) | (i) | What area of forest is being lost in Africa each year? |
|-----|------|--|
| | | Area = thousand km ² |
| | (ii) | Use Steps 1, 2 and 3 to calculate the total change to the area of forest each year. |
| | | Step 1 Calculate the total area of trees chopped down. |
| | | |
| | | Total area chopped down = thousand km ² |
| | | Step 2 Calculate the total area of trees planted. |
| | | |
| | | Total area planted = thousand km ² |
| | | Step 3 Use your answers from Steps 1 and 2 to calculate the total change in the area of forest. |

Total change in area of forest thousand km²

(3)

| (b) | Draw a ring around the correct answer to complete each sentence. | | | | | |
|-----|--|--|------|--------------------|--|--|
| | | | | ts only. | | |
| | (i) | Large scale deforestation reduces the number of species of | anin | nals only. | | |
| | | | both | animals and plants | <u>. </u> | |
| | | | | | (1) | |
| | | | | lichens. | | |
| | (ii) | The remains of the trees are broken down into carbon dioxide | e by | microorganisms. | | |
| | | | | plants. | | |
| | | | | | (1) | |
| | | | | carbon dioxide. | | |
| | (iii) | The gas released into the atmosphere when trees are burne | d is | methane. | | |
| | | | | oxygen. | | |
| | | | | (Total 7 r | (1) narks) | |



| (a) | Con | iplete the sentences. | |
|-----|------|---|-----|
| | Ped | ple could use timber from the forest for | |
| | The | cleared land can be used for | |
| | | aring forests increases the concentration of in atmosphere. | |
| | This | s increase causes global | (4) |
| (b) | Clea | aring forests causes some species to become extinct. | |
| | (i) | What is meant by extinct? | |
| | | | |
| | | | (1) |

| www.tutorzone.co.ui | (ii) It is important to prevent species from becoming extinct. | |
|--------------------------|---|-------|
| | Give one reason why. | |
| | | |
| (1) (Total 6 marks) | | |
| | | |
| | his country most tomatoes are grown in greenhouses. | In th |
| atoes from plants | Suggest one way in which a grower could increase the yield of tomato | (a) |
| atoes from plants | growing in his greenhouse. | (a) |
| (1) | | |
| | Large supermarkets often import tomatoes from overseas. | (b) |
| ort tomatoes rather than | Suggest two reasons why a supermarket might decide to import buy them from British growers. | |
| | 1 | |
| | | |
| | 2 | |
| (2) | | |

| | (ii) | Importing tomatoes may be more damaging to the environment than selling tomat grown in this country. | orzone.co.ui 0es |
|-----|-------|--|---------------------|
| | | Explain why. | |
| | | | |
| | | | |
| | | | (2) |
| | | (Tota | ıl 5 marks) |
| | | | |
| The | drawi | rings show some woodland and some farmland. Both have a river flowing through. | |
| | | Woodland Farmland Trees | |
| | Tr. | Crops | |
| (a) | (i) | There is a wider variety of wildlife in the woodland than in the farmland. | |
| | | Give one reason why. | |
| | | | |
| | (ii) | Farmers remove woodland to provide space for growing crops. | (1) |
| | ` , | Give two other reasons why humans remove woodland. | |
| | | Do not include the uses of wood in your answers. | |
| | | 1 | |
| | | | |
| | | 2 | |

(a)

| (b) | Man | y farmers spray chemicals on their fields. | | | www.tutorzone.co. | ul |
|-----|--|--|-------|---|-------------------|----|
| | Draw a ring around the correct word to complete each sentence. | | | | | |
| | (i) | To make crops grow larger, farmers use | he | tilisers rbicides sticides | | |
| | | | | | (1 |) |
| | (ii) | To kill insects that feed on the crop, farmers use | , | fertilisers herbicides pesticides | | |
| | | | | | |) |
| | (iii) | There is a wider variety of wildlife in the river flo the river flowing through the farmland. | wing | g through the | woodland than in | |
| | | Give one reason why. | | | | |
| | | | | | | |
| (c) | | population of the UK has increased over the last | | • | |) |
| | | increase in population has resulted in damage to | | | | |
| | | rt from farming methods, give two ways in which | num | ians damage | tne environment. | |
| | 1 | | | | | |
| | 2 | | ••••• | | | |
| | ۷ | | | | | |
| | | | | | (Zotal 8 marks | |

Copper compounds are found in water that has drained through ash from power stations. Invertebrate animals are used to monitor the concentration of copper compounds in water. First, scientists must find out which invertebrate animals can survive in a range of concentrations of copper compounds.


This is how the procedure is carried out.

- Solutions of different concentrations of a copper compound are prepared.
- Batches of fifty of each of five different invertebrate species, **A**, **B**, **C**, **D** and **E**, are placed in separate containers of each solution.
- After a while, the number of each type of invertebrate which survive at each concentration is counted.
- (a) Give **two** variables that should be controlled in this investigation so that the results are valid.

1.....

2

(b) The graph below shows the results for species **B**.




Use the graph to find the concentration of copper compounds in which 50% of Species **B** survived. To obtain full marks you must show clearly on the graph how you obtained your answer.

Concentration parts per million


(2)

The graph below shows the results of the tests on the other four invertebrate species. (c)



| i) | Which species, A , C , D or E , is most sensitive to the concentration of copper in the water? | |
|-----|--|-----|
| | | |
| | Give the reason for your answer. | |
| | | |
| | | (4) |
| | | (1) |
| ii) | It is often more convenient to use invertebrates rather than a chemical test to monitor water for copper. | |
| | Suggest one explanation for this. | |
| | | |
| | | |
| | | |
| | | (2) |
| | (Total 7 m | |
| | | |

The diagram shows the mass of carbon exchanged between carbon reservoirs and the atmosphere. The pie chart in the diagram shows the mass of carbon in three reservoirs: oceans, soils and fossil fuels. The figures are in billions of tonnes of carbon per year.



Reproduced by permission of Philip Allan Updates

| | X = billion tonnes of carbon | (2) |
|-----|--|-----|
| | | |
| | | |
| | | |
| | Show all your working. | |
| (a) | Calculate X (the yearly carbon increase into the atmosphere). | |

www.tutorzone.co.uk Give one reason why deforestation increases the carbon dioxide concentration of the atmosphere. (Total 3 marks) A large supermarket chain is advertising 'our goal is to make our business carbon neutral in the 31 next five years'. Why does the supermarket management think that this will attract more customers? (i) (1) One step that the supermarket chain intends to take is to obtain as much food as possible (ii) from British sources. Explain how this will help the environment. (Total 3 marks) Deforestation affects the environment in many ways. **32** Deforestation increases the amount of carbon dioxide in the atmosphere. (a) Give **two** reasons why.

(1)

(Total 4 marks)


(b) Deforestation also results in a loss of biodiversity.

(i) What is meant by biodiversity?

(ii) Give one reason why it is important to prevent organisms from becoming extinct.

The graph shows changes in temperature and in carbon dioxide concentration in the earth's atmosphere between 1860 and 1990.

33



| (a) | Give two human activities which may have helped to increase the concentration of carbon dioxide in the atmosphere. |
|-----|---|
| | 1 |
| | 2 |

| (b) | (i) | Describe the changes in temperature shown by the graph between 1860 and 1990. | | | | | |
|------|---------|---|--|-------------------------------|-----------------------|--|--|
| | | | | | | | |
| | | | | | (2) | | |
| | (ii) | atmosphere caused Give a reason for yo | raph prove that increased carbo the changes in temperature your answer. | u described in part (b)(i)? | the | | |
| | | | | | (1) | | |
| (c) | | cribe one way in whic ot the environment. | h a change in temperature such | as that shown in the grap | h might | | |
| | | | | | | | |
| | | | | (° | (1) Total 6 marks) | | |
| | | | | | | | |
| A se | electiv | e herbicide (a type of | pesticide) can be used to kill we | eeds growing among crop p | olants. | | |
| The | table | shows the result of ac | dding different amounts of a sel | ective herbicide to a rice cr | op. | | |
| Н | erbici | de added in kg per hectare | Amount of rice produced in tonnes per hectare | Percentage cover of weeds | | | |
| | | 0.0 | 50 | 85 | | | |
| | | 1.7 | 70 | 32 | | | |
| | | 3.4 | 76 | 24 | | | |
| (a) | As n | nore herbicide is appli | ed, what happens to: | | _ | | |
| | (i) | the amount of rice p | roduced; | | | | |
| | | | | | (1) | | |
| | (ii) | the percentage cove | er of weeds? | | (-) | | |

(2)

(b) Suggest **two** reasons why rice does not grow well when there are a lot of weeds present.


2

.....

(c) Suggest **one** possible danger of spraying crops with pesticides.

(1) (Total 5 marks)

In December 1952, there was a thick fog in London. The graph shows changes in the amounts of sulphur dioxide and smoke in the air and the number of people dying during this period.




(a) Describe **one** human activity which releases sulphur dioxide into the air.

| (D) | Hull | ian deaths during this | period were caused if | amy by lung diseases. | |
|-----|-------|---|--------------------------|---|--------------|
| | (i) | Why were the lungs | particularly affected? | | |
| | | | | | |
| | (ii) | Give evidence from these deaths. | the graph which sugge | sts that sulphur dioxide might have caused | (1) |
| | | | | | (1) |
| | (iii) | Does the graph provanswer. | e that sulphur dioxide | caused these deaths? Explain your | |
| | | | | (Total 4 m | (1) arks) |
| | | is grown. | | ore farm land. More cattle are kept and sult of trees being cut down? | |
| (α) | (1) | Draw a ring around o | | out of troop being out down. | |
| | | carbon dioxide | oxygen | sulphur dioxide | (1) |
| | (ii) | Which gas has incremore rice? | ased in the air as a res | sult of keeping more cattle and growing | |
| | | Draw a ring around o | one answer. | | |
| | | carbon monoxide | hydrogen | methane | |
| | | | | | (1) |
| (b) | Wha | t effect may increases | s in these gases have | on global temperatures? | (1) |
| (b) | | nt effect may increases w a ring around one a | - | on global temperatures? | (1) |
| (b) | | • | nswer. | on global temperatures? stay the same | (1) |

| | ו טע | not include cutting down trees in | . your anorron | | |
|-----------------------|---|---|-------------------------------------|-------------------------------|-------------------|
| | 1 | | | | |
| | | | | | |
| | 2 | | | | |
| | | | | | |
| | 3 | | | | |
| | | | | | |
| | | | | | (Total |
| | | | | | |
| | | | | | |
| The | table | shows the effects that two diffe | rent concentration | s of sulphur dioxide | in the air |
| | | e growth of rye grass plants. | | o or outprior dioxido | in the an |
| iau | | | | | |
| | | r dioxide concentration in | 9.0 | 101.0 | |
| Sı | ılphu | r dioxide concentration in in micrograms per m³ | 9.0 | 191.0 | |
| Su | ılphu e air i | | 9.0 85.6 | 191.0 47.3 | |
| St th | ılphu e air i umber | in micrograms per m ³ | | | _ |
| St th Nt | ulphu e air i umber | r of leaves per plant | 85.6 | 47.3 | |
| Su the Nu To | ulphu e air i umber tal lea | in micrograms per m ³ of leaves per plant af area in cm ² | 85.6 417.2 0.48 | 47.3 203.6 0.22 | |
| Su the Nu To | ulphu e air i umber tal lea | in micrograms per m ³ Tof leaves per plant af area in cm ² as of stubble in grams | 85.6 417.2 0.48 | 47.3 203.6 0.22 | |
| Su the Nu To Dr | ulphu e air i umber tal lea ry mas Wha | in micrograms per m³ of leaves per plant af area in cm² as of stubble in grams at human activity releases sulph | 85.6 417.2 0.48 ur dioxide into the | 47.3 203.6 0.22 air? | |
| St the Nt To | ulphu e air i umber tal lea | in micrograms per m ³ Tof leaves per plant af area in cm ² as of stubble in grams | 85.6 417.2 0.48 ur dioxide into the | 47.3 203.6 0.22 air? | |
| Su the Nu To Dr | ulphu e air i umber tal lea ry mas Wha | in micrograms per m³ of leaves per plant af area in cm² as of stubble in grams at human activity releases sulph | 85.6 417.2 0.48 ur dioxide into the | 47.3 203.6 0.22 air? | |
| Su the Nu To Dr | ulphu e air i umber tal lea ry mas Wha | in micrograms per m³ of leaves per plant af area in cm² as of stubble in grams at human activity releases sulph | 85.6 417.2 0.48 ur dioxide into the | 47.3 203.6 0.22 air? | |
| Su the Nu To Dr | ulphu e air i umber tal lea ry mas Wha | in micrograms per m³ of leaves per plant af area in cm² as of stubble in grams at human activity releases sulph | 85.6 417.2 0.48 ur dioxide into the | 47.3 203.6 0.22 air? | xide on the leave |

(Total 5 marks)



Some large forest areas are being destroyed. This changes the amount of carbon dioxide in the atmosphere.


| (a) | (i) | State one use for the trees that are cut down. | |
|-----|-------|---|-----|
| | | | (1) |
| | (ii) | State one use for the cleared land. | |
| | | | (1) |
| | (iii) | How has the destruction of forests affected the amount of carbon dioxide in the atmosphere? | |
| | | | (1) |

| (b) | (i) | How has the destruction of forests caused an increased Greenhouse effect? | tutorzone.co.ur. |
|-----|------|---|------------------|
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | (4) |
| | (ii) | State one effect of an increase in the Greenhouse effect. | |
| | | | |
| | | | (1) |

Lichens are simple plants that are easily damaged by air pollution. A large number of different types of lichen is a good indicator of clean air. The table shows how many different types of lichen were recorded at set distances from a city centre.

| Distance from city centre in km | Number of types of lichen found in a given area |
|---------------------------------|---|
| 0 | 4 |
| 2 | 7 |
| 3 | 10 |
| 5 | 20 |
| 6 | 25 |
| 7 | 40 |

(a) Draw a graph of these results. The first two points have been plotted for you.



| (b) | Use your graph to estimate the number of types of lichen at 4 km from the city centre. | |
|-----|--|-----|
| | | (1) |
| (c) | Use your graph to state a pattern that links the number of types of lichen with the distance from the city centre. | |
| | | |
| | | (1) |
| (d) | Since these data were collected, pollution in cities has decreased. Suggest two ways that the pollution in city centres has been reduced. | |
| | | |
| | | |

(2)

| (e) | Burning some fossil fuels produces acid rain. Explain how acid rain is formed and state one of its effects. |
|-----|--|
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |

(4) (Total 10 marks)