1		

The figure below shows an incomplete electromagnetic spectrum.

Α	microwaves	В	С	ultraviolet	D	gamma
ι)	What name is given to the	e group	of waves at	the position labelled	A in the figure	above?
	Tick <b>one</b> box.					
	infrared					
	radio					
	visible light					
	X-ray		Ī			
	Electromagnetic waves have					
	Draw <b>one</b> line from each	type of	electromagne	etic wave to its use.		
	Electromagnetic wave			l	Jse	
				For fibre optic	communicatio	ons
	Gamma rays					
				For communica	ting with a sate	ellite
	Microwaves					
		_		To see sec	urity markings	
	Ultraviolet					
				To sterilise sur	gical instrume	nts

(c) Complete the sentence.


Use an answer from the box.

black body	ionising	nuclear	
X-rays can be dangerous	s to people because X-rays a	re	
	radiation.		
			(1) (Total 5 marks)

A student investigated how the magnification produced by a convex lens varies with the distance (d) between the object and the lens.

The student used the apparatus shown in **Figure 1**.

Figure 1



(a) The student measured the magnification produced by the lens by measuring the image height in centimetres.

Explain why the image height in centimetres was the same as the magnification.	

(2)

(b) The data recorded by the student is given in **Table 1**.

Table 1

Distance between the object and the lens in cm	Magnification
25	4.0
30	2.0
40	1.0
50	0.7
60	0.5


It would be difficult to obtain accurate magnification values for distances greater than 60 cm.

Suggest **one** change that could be made so that accurate magnification values could be obtained for distances greater than 60 cm.

.....

(c) The graph in **Figure 2** is incomplete.

Figure 2



Complete the graph in **Figure 2** by plotting the missing data and then drawing a line of best fit.

(2)

(1)

(d) How many times bigger is the image when the object is 35 cm from the lens compared to when the object is 55 cm from the lens?

(2)

(e) During the investigation the student also measured the distance between the lens and the image.

Table 2 gives both of the distances measured and the magnification.

Table 2

Distance between the lens and the lens and the image in cm and the object in cm and the objec

Distance between the lens and the image in cm	Distance between the lens and the object in cm	Magnification
100	25	4.0
60	30	2.0
40	40	1.0
33	50	0.7
30	60	0.5

Consider the data in Table 2.

Give a second way that the student could have determined the magnification of the object.	
Justify your answer with a calculation.	
	2)
(Total 9 marks	

www.tutorzone.co.uk
The data given in the table below was obtained from an investigation into the refraction of light at
an air to glass boundary an air to glass boundary.

Angle of incidence	Angle of refraction
20°	13°
30°	19°
40°	25°
50°	30°

Describe an investigation a student could complete in order to obtain similar data to that given in the table above.

Your answer should consider any cause of inaccuracy in the data.

A labelled diagram may be drawn as part of your answer.	
	(Total 6 marks)

www.tutorzone.co.uk The data given in the table below was obtained from an investigation into the refraction of light at an air to glass boundary.

Angle of incidence	Angle of refraction
20°	13°
30°	19°
40°	25°
50°	30°

(a)	Describe an investigation a student could complete in order to obtain similar data given in the table above.	to that
	Your answer should consider any cause of inaccuracy in the data.	
	A labelled diagram may be drawn as part of your answer.	
		(6)
(b)	State the reason why light is refracted as it crosses from air into glass.	(0)
		(1)
		(Total 7 marks)

5

Light changes direction as it passes from one medium to another.

(a) Use the correct answer from the box to complete the sentence.

diffraction	reflection	refraction

The change of direction when light passes from one medium to another is

called ......

(1)

(b) Draw a ring around the correct answer to complete the sentence.

When light passes from air into a glass block, it changes

direction

away from the normal.


towards the normal.

to always travel along the normal.

(1)

(c) **Diagram 1** shows light rays entering and passing through a lens.

## Diagram 1



(i) Which type of lens is shown in **Diagram 1**?

Draw a ring around the correct answer.

concave convex diverging

(1)

(ii) In **Diagram 1**, what is the point **X** called?


.....

(1)

(d) A lens acts like a number of prisms.

**Diagram 2** shows two parallel rays of light entering and passing through prism  ${\bf A}$  and prism  ${\bf C}$ 

Diagram 2



Draw a third	parallel rav	v enterina	and	passing	through	prism <b>B</b> .
Dian a tima	paranorra	, 0111011119	aiia	paccing	unougn	P110111 <b>-</b>

(4)

(e) What **two** factors determine the focal length of a lens?

1	
•	

2 .....

(Total 10 marks)

6 Different parts of the electromagnetic spectrum have different uses.

(a) The diagram shows the electromagnetic spectrum.

	Radio waves	Microwaves	Infrared	Visible light	Ultraviolet	X-rays	Gamma rays
--	----------------	------------	----------	------------------	-------------	--------	---------------

(i) Use the correct answers from the box to complete the sentence.

amplitude frequency	speed	wavelength
---------------------	-------	------------

The arrow in the diagram is in the direction of increasing .....

and decreasing ......

(2)

(ii)	Draw a ring around the correct	answer to comple	ete the sentence.	
	The range of wavelengths for v	waves in the elect	romagnetic	
	spectrum is approximately	10 <sup>-15</sup> to 10 <sup>4</sup> 10 <sup>-4</sup> to 10 <sup>4</sup> 10 <sup>4</sup> to 10 <sup>15</sup>	metres.	
	e wavelength of a radio wave is 19 e speed of radio waves is 3.0 × 10			(1)
Cal	culate the frequency of the radio	wave.		
Giv	e the unit.			
		Frequency =		
				(3)
(i)	State <b>one</b> hazard of exposure	to infrared radiation	on.	
				(1)
(ii)	State <b>one</b> hazard of exposure	to ultraviolet radia	ition.	, ,
. ,	·			
				(1)
X-ra	ays are used in hospitals for com	puted tomography	y (CT) scans.	
(i)	State <b>one</b> other medical use for	r X-rays.		
("\ <u>\</u>	Obstacle and a fix and the st	and a discourse the	hla (annuar annuar ann an 4.41V2)	(1)
(ii)	State a property of X-rays that	makes them suita	able for your answer in part (d)(i).	
				(1)
				. ,

(iii) The scientific unit of measurement used to measure the dose received from radiations, such as X-rays or background radiation, is the millisievert (mSv).

The table shows the X-ray dose resulting from CT scans of various parts of the body.

The table also shows the time it would take to get the same dose from background radiation.

Part of the body	X-ray dose in mSv	Time it would take to get the same dose from background radiation
Abdomen	9.0	3 years
Sinuses	0.5	2 months
Spine	4.0	16 months

A student suggests that the X-ray dose and the time it would take to get the same dose from background radiation are directly proportional.


Use calculations to test this suggestion and state your conclusion.	
	(3)
	(Total 13 marks)

(1)

A teacher demonstrates the production of circular waves in a ripple tank.

**Diagram 1** shows the waves at an instant in time.


Diagram 1



- (a) Show on **Diagram 1** the wavelength of the waves.
- (b) The teacher moves the source of the waves across the ripple tank.

**Diagram 2** shows the waves at an instant in time.

**Diagram 2** (Actual size)



(i) Use the correct answer from the box to complete each sentence.

increased

decreased

(c)

	In <b>Diagram 2</b> , the observed wavelength of the waves at <b>X</b>	
	has	
	In <b>Diagram 2</b> , the frequency of the waves at <b>X</b>	
	has	
(ii)	Take measurements from <b>Diagram 2</b> to determine the wavelength of the waves received at <b>X</b> .	(2)
	Give the unit.	
	Wavelength =	(3)
	teacher uses the waves in the ripple tank to model the changes in the wavelengths of observed from distant galaxies.	
	en observed from the Earth, there is an increase in the wavelength of light from distant xies.	
(i)	State the name of this effect.	
		(1)
(ii)	What does this increase in wavelength tell us about the movement of most galaxies?	
		(1)

stayed the same

www.tutorzone.co.uk (iii) Explain how this observation supports the Big Bang theory of the formation of the

		Universe.
		(4)
	(iv)	State <b>one</b> other piece of evidence that supports the Big Bang theory of the formation of the Universe.
		(1) (Total 13 marks)
<b>8</b> (a)		io waves, microwaves and visible light are all electromagnetic waves that are used for munication.
	(i)	Name another electromagnetic wave that is used for communication.
		(1)
	(ii)	Name an electromagnetic wave which is <b>not</b> used for communication.
		State a use for this electromagnetic wave.
		Electromagnetic wave
		Use
		(2)

The table below shows the wavelengths for some electromagnetic waves,  ${\bf A},\,{\bf B},\,{\bf C}$  and  ${\bf D}.$ (b)

Wave	Wavelength
A	1000 m
В	100 m
С	10 m
D	3 cm


A teacher is going to demonstrate diffraction of waves through a gap. She will carry out the demonstration in a classroom.

The teacher is able to generate waves A, B, C and D.
Which wave, A, B, C or D, would she use?
Explain your answer.

(3)

www.tutorzone.co.uk
In another demonstration, a teacher used a loud ticking clock as a source of sound, two (c) hollow tubes and two smooth surfaces, EF and GH.

The figure below shows one of the hollow tubes fixed in position with a ticking clock at one end.



A student placed his ear at one end of the other hollow tube in position **P**. He moved this hollow tube, in turn, to positions Q and R.

(i)	At which position, <b>P</b> , <b>Q</b> or <b>R</b> , did he hear the loudest sound?	(1)
(ii)	Explain your answer to part (i).	
		(3)
(iii)	Suggest why smooth surface <b>GH</b> in the figure above was needed.	
		(1)

(iv)	The frequency of a sound wave is 15 Hz.	www.tutorzone.co
	The speed of sound is 330 m / s.	
	Calculate the wavelength of the sound wave.	
	Wavelength = m	(2)
(v)	Give a reason why it would <b>not</b> be possible to do the demonstration in the figabove using sound waves with a frequency of 15 Hz.	gure
		(1) (Total 14 marks)

9 Lenses can be used to correct visual defects.

**Figure 1** shows a child wearing glasses. Wearing glasses allows a lens to correct a visual defect.


Figure 1



© monkeybusinessimages/iStock/Thinkstock

(a) **Figure 2** shows rays of light entering a child's eye and being focused at a point. This point is not on the retina so the child sees a blurred image.

Figure 2



	(i)	What	is the visual defect of	of this eye?			
							(1)
	(ii)	Use the	ne correct answer fro	m the box to con	nplete the sentence	).	
			converging	convex	diverging		
		The t	ype of lens used to c	orrect this visual	defect is a	lens.	(1)
(b)	Visua	al defe	cts may be corrected	I with eye surgery	y. A laser may be u	sed in eye surgery.	( )
	Use	the co	rect answer from the	box to complete	the sentence.		
			light	sound	X-rays		
	A las	er is a	concentrated source	of			(1)
(c)		-	stion you will be as I using specialist te			rganising information	. ,

Lasers can be used to correct a visual defect by changing the shape of the cornea.

A knife is used to cut a flap in the cornea. The laser vaporises a portion of the cornea and permanently changes its shape. The flap is then replaced.

Most patients are back at work within a week. Driving may be unsafe for one to two weeks. Tinted glasses with ultraviolet protection are needed when out in the sun for the first three months.

Many people in their mid-40s need reading glasses. This is because the eye lens becomes less flexible with age. Laser surgery cannot cure this.


Laser surgery for both eyes costs £1000. A pair of glasses costs £250.

Describe the advantages and disadvantages of:

•	having laser surgery to correct visual defects	
•	wearing glasses to correct visual defects.	
Extra	space	
		<b>(6)</b>
		(6)

(d) **Figure 3** shows parallel rays of light, from a point on a distant object, entering a camera.

Figure 3




Describe the adjustment that has to be made to focus the image on the film.	
	(0)
	(2) (Total 11 marks)

10

(a) The visible light spectrum has a range of frequencies.

Figure 1 shows that the frequency increases from red light to violet light.

Figure 1




Use the correct answers from the box to complete the sentence.

	decreases	stave the same	inoroacos
	uecreases	stays the same	increases
As	the frequency of the li	ight waves increases, the	wavelength
of t	he light waves		and
the	energy of the light wa	aves	

Bottled beer will spoil if the intensity of the light passing through the glass bottle into the (b) beer is too high.

Figure 3 shows the intensity of the light that is transmitted through three different pieces of glass.





(i)	The pieces of glass all had the same thickness.	
	Suggest why.	
		(1)
(ii)	Bottles made of brown glass are suitable for storing beer.	` '
	Suggest why.	

(Total 4 marks)



Stockdevil/iStock/Thinkstock

(a) Use the correct answers from the box to complete the sentence.

	absorbs	ionises	reflects	transmits	
	When X-rays enter	the human body, soft	tissue	X-rays	
	and bone		X-rays.		(2)
(b)	Complete the follow	ving sentence.			
	The X-rays affect p	hotographic film in the	same way that	does.	(1)
(c)	The table below sh	ows the total dose of $\lambda$	K-rays received by the h	numan body when different	

Part of body X-rayed	Dose of X-rays received by human body in arbitrary units
Head	3
Chest	4
Pelvis	60

	er of head X-rays that	·	, ,
N	umber of head X-rays	S =	


	(d)	Which one o	f the following	is another u	se of X-rays	?	www.tutoi	zone.c	
		Tick (√) one	box.						
		Cleaning sta	ined teeth						
		Killing cance	r cells						
		Scanning of	unborn babies						
							(Total 6 m	(1) arks)	
12	(a)	Some humar	ns are short-sig	jhted.					
12		Complete the	e following sent	tence.					
		Short sight ca	an be caused b	by the eyeba	all being too				
								(1)	
	(b) Spectacles can be worn to correct short sight.								
		The table below gives information about three different lenses that can be used in spectacles.							
			Lens feature						
			Mate	erial	Mas	s in grams	Туре		
	Le	ens A	Plas	stic		5.0	Concave (diverging)		
	Le	ens B	Gla	ıss		6.0	Convex (converging)		
	Le	ens C	Gla	ISS		5.5	Convex (converging)		
		Which lens from <b>Table 2</b> would be used to correct short sight?							
		Draw a ring around the correct answer.							
		Lens A Lens B Lens C							
		Give the reason for your answer.							
								(2)	

(c)	Every lens has a focal length.	www.tutorzone.cc
	Which factor affects the focal length of a lens?	
	Tick (√) <b>one</b> box.	
	The colour of the lens	
	The refractive index of the lens material	
	The size of the object being viewed	
		(1)
(d)	A lens has a focal length of 0.25 metres.	
	Calculate the power of the lens.	
	Power of lens = dioptres	(2)
(e)	Laser eye surgery can correct some types of eye defect.	
	Which of the following is another medical use for a laser?	
	Tick (√) <b>one</b> box.	
	Cauterising open blood vessels	
	Detecting broken bones	
	Imaging the lungs	
		(1)

(f) The figure shows a convex lens being used as a magnifying glass.

(a)


13



(1)

Figure 1 shows how ultrasound is used to measure the depth of water below a ship. (b)

Figure 1



A pulse of ultrasound is sent out from an electronic system on-board the ship.

It takes 0.80 seconds for the emitted ultrasound to be received back at the ship.

Calculate the depth of the water.

	Speed of ultrasound in water = 1600 m / s	
	Depth of water = metres	(3)
		(3)
(c)	Ultrasound can be used in medicine for scanning.	
	State <b>one</b> medical use of ultrasound scanning.	
		(1)

(d) Images of the inside of the human body can be made using a Computerised Tomography (CT) scanner. The CT scanner in **Figure 2** uses X-rays to produce these images.





monkeybusinessimages/iStock/Thinkstock

ultrasound scanning, for forming images of the inside of the human body.

Advantage of CT scanning ......


State one advantage and one disadvantage of using a CT scanner, compared with

Disadvantage of CT scanning .....

(2) (Total 7 marks) 14

Different wavelengths of light can be used to transmit information along optical fibres.

The graph below shows how the percentage of incident light transmitted through a fibre varies with the wavelength of light and the length of the fibre.



Compare the percentages of incident light transmitted through the two different fibres over the range of wavelengths shown.

(Total 3 marks)

	Waves may be longitudinal or transverse.			
_	(a)	Describe the differences between longitudinal waves and transverse waves.		
			(3)	
	(b)	Radio waves are electromagnetic waves.		
		Describe how radio waves are different from sound waves.		


Page 28 of 80

(4) (Total 7 marks) 16

(b)

(a) The diagram shows how a convex lens forms an image of an object.

This diagram is **not** drawn to scale.



(i) Which **two** words describe the image?

Draw a ring around each correct answer.

	aiminisnea	inverted	magnitied	reai	uprignt	
						(2)
(ii)	The object is 4 cm	n from the lens. Th	ne lens has a focal l	ength of 12 c	cm.	
	Calculate the ima	ge distance.				
		Image	distance =	(	cm	(3)
Wha	t does a minus sigi	n for an image dis	tance tell us about t	the nature of	the image?	(0)
						(4)


(Total 6 marks)


**Diagram 1** shows four of the seven types of wave in the electromagnetic spectrum.

## Diagram 1

J	К	L	Visible light	Infrared	Microwaves	Radio waves
---	---	---	------------------	----------	------------	----------------

(a) The **four** types of electromagnetic wave named in **Diagram 1** above are used for communication.





(i) Which type of electromagnetic wave is used when a traffic signal communicates with a car driver?

.....

(ii) Which type of electromagnetic wave is used to communicate with a satellite in space?

(1)

(1)

(b) Gamma rays are part of the electromagnetic spectrum.


Which letter, **J**, **K** or **L**, shows the position of gamma rays in the electromagnetic spectrum? Draw a ring around the correct answer.

J K L

(1)

(c) **Diagram 2** shows an infrared wave.

## Diagram 2



(i)	Which <b>one</b> of the arrows	, labelled <b>A</b> , <b>B</b> or <b>C</b>	, shows the wavelength	of the wave?

Write the correct answer, A, B or C, in the box.

(1)

(1)

(ii) Draw a ring around the correct answer to complete the sentence.

The wavelength of infrared waves is

shorter than

the same as

longer than

the wavelength of radio waves.

(d) Mobile phone networks send signals using microwaves. Some people think the energy a person's head absorbs when using a mobile phone may be harmful to health.

(i) Scientists have compared the health of people who use mobile phones with the health of people who do not use mobile phones.

Which **one** of the following statements gives a reason why scientists have done this?

Tick (✓) one box.

To find out if using a mobile phone is harmful to health.

To find out if mobile phones give out radiation.

To find out why some people are healthy.

(1)

www.tutorzone.co.uk

(ii) The table gives the specific absorption rate (SAR) value for two different mobile phones.

The SAR value is a measure of the maximum energy a person's head absorbs when a mobile phone is used.


Mobile Phone	SAR value in W/kg
X	0.28
Υ	1.35

A parent buys mobile phone **X** for her daughter.

Using the information in the table, suggest why buying mobile phone <b>X</b> wa choice.	is the best
	(2)
	(Total 8 marks)

A person can see an image of himself in a tall plane mirror.

18



The diagram shows how the person can see his hat.

(a)	Which point, A, B or C, shows the position of the image of his hat?		
	Write the correct answer, <b>A</b> , <b>B</b> or <b>C</b> , in the box.		


(1)

(b) On the diagram, use a ruler to draw a light ray to show how the person can see his shoe.

(3)

	virtual	real	imaginary	
(1 (Total 5 marks				
	in the air.	rn produces sound waves	ry has an air horn. The air ho	A lorry
		the following sentence.	Use <b>one</b> word to complete	(a) l
(1		icles to	Sound waves cause air par	S
	uency of 420 Hz.	d waves at a constant free	The air horn produces sour	(b) T
		d waves is 0.80 m.	The wavelength of the sour	Т
		ound waves.	Calculate the speed of the	C
	m/s	peed =	S	
(2 Total 3 marks)				
			Light waves transfer energy	(a) Li
		g sentence.	(i) Complete the following	(i
		cing a light wave are	The oscillations produ	
			to the direction of the	

(ii) The apparatus in the diagram shows that light waves transfer energy.



Describe how switching the desk lamp on and off shows that light waves transfer energy.

You do <b>not</b> need to describe the energy transfers.	
	(2)

(b) A student holds a wrist watch in front of a plane mirror. The student can see an image of the wrist watch in the mirror.

The diagram shows the position of the wrist watch and the mirror.





Draw a ray diagram showing how the image of the wrist watch is formed.

Mark the position of the image.

(4)

	(C)	The	image of the wrist watch seen by the student is virtual.	
		Wha	at is a virtual image?	
				(1)
	(-)	- Florid	(Total 8 ma	rks)
21	(a)		tromagnetic waves form a continuous spectrum with a range of wavelengths.	
		Wha	at is the approximate range of wavelengths of electromagnetic waves?	
		Tick	x(✓) <b>one</b> box.	
		10 <sup>-1</sup>	<sup>15</sup> metres to 10 <sup>4</sup> metres	
		10 <sup>-4</sup>	<sup>‡</sup> metres to 10 <sup>15</sup> metres	
		10-6	<sup>6</sup> metres to 10 <sup>6</sup> metres	
				(1)
	(b)	Infra	ared waves and microwaves are used for communications.	
		(i)	Give <b>one</b> example of infrared waves being used for communication.	
				(1)
		(ii)	A mobile phone network uses microwaves to transmit signals through the air. The	('')
		(11)	microwaves have a frequency of $1.8 \times 10^9$ Hz and travel at a speed of $3.0 \times 10^8$ m/s.	
			Calculate the wavelength of the microwaves.	
			Give your answer to <b>two</b> significant figures.	
			Wavelength = m	(3)

Some scientists suggest there is a possible link between using a mobile phone and male (c) fertility.

The results of their study are given in the table.

Mobile phone use in hours per day	Sperm count in millions of sperm cells per cm <sup>3</sup> of semen
0	86
less than 2	69
2 – 4	59
more than 4	50

The results show a negative correlation: the more hours a mobile phone is used each day, the lower the sperm count. However, the results do not necessarily mean using a mobile phone causes the reduced sperm count.

/1)
(1)
(Total 6 marks)

Ultrasound and X-rays are waves used in hospitals to create images of the inside of the human body. To produce the images below, the waves must enter the human body.

## Ultrasound scan of an unborn child



© Isabelle Limbach/Thinkstock

## X-ray of a broken bone



© itsmejust/iStock

(a) In this question you will be assessed on using good English, organising information clearly and using specialist terms where appropriate.

Describe the features of ultrasound and X-rays, and what happens to each type of wave

after it has entered the human body.	

(b)	Explain why.	
		(2
(c)	Ultrasound can be used for medical treatments as well as for imaging.  Give <b>one</b> use of ultrasound for medical treatment.	
		(1 (Total 9 marks
(a)	A camera was used to take a photograph. The camera contains a convex (colens.	
	Complete the ray diagram to show how the lens produces an image of the ol	oject.
	Convex lens	
	Object F F	
	F =	Principal focus
(b)	State <b>two</b> words to describe the nature of the image produced by the lens in	the camera.
	2	
		 (2) (Total 6 marks

23

Galaxies emit all types of electromagnetic wave.

(a)	(i)	Which type of electromagnetic wave has the shortest wavelength?	
	<i>(</i> 11)		(1)
	(ii)	State <b>one</b> difference between an ultraviolet wave and a visible light wave.	
			(1)
(b)	Elec	stromagnetic waves travel through space at a speed of 3.0 x 10 <sup>8</sup> m/s.	
	The	radio waves emitted from a distant galaxy have a wavelength of 25 metres.	
	Calc	culate the frequency of the radio waves emitted from the galaxy and give the unit.	
		_	
		Frequency =	(3)
(c)	from wav	ntists use a radio telescope to measure the wavelength of the radio waves emitted the galaxy in part (b) as the waves reach the Earth. The scientists measure the elength as 25.2 metres. The effect causing this observed increase in wavelength is ed red-shift.	
	(i)	The waves emitted from most galaxies show red-shift.	
		What does red-shift tell scientists about the direction most galaxies are moving?	
			(1)
	(ii)	The size of the red-shift is <b>not</b> the same for all galaxies.	
		What information can scientists find out about a galaxy when they measure the size of the red-shift the galaxy produces?	
			(2)

(iii) Wh	at does the o	bservation of re	d-shift sugg	est is happenin	g to the Univer	www.tutorz se?	zone.co.u
The pictu	res show fou	e electromagnet r devices that us omagnetic wave	se electrom	n. agnetic waves.	Each device u	( <b>Total 9 ma</b> ses a	(1) ırks)
	ne from each ie for you.	device to the ty	pe of electr	omagnetic wave	e that it uses. C	One has	
Gamma rays	X-rays	Ultraviolet rays	Visible light	Infra red rays	Microwaves	Radio waves	
Sunbed		Radio		TV remote control	Fil	ament lamp	
(b) A headlin	ne from a rece	ent newspaper a	article is sho	own below.			(3)
		Mother years of	dies afte f using a	r seven sunbed			
(i) Wh	at serious he	alth problem ma	ay be cause	ed by using a sur	nbed too much	?	
							(1)

25

The pie chart compares the number of deaths in Britain each year which may have (ii) been caused by using sunbeds too much, with those which may have been caused by too much exposure to the Sun.

Key
Deaths caused by too much exposure to the Sun
Deaths due to using a sunbed too much

It is difficult for a doctor to be certain that a person has died because of using a sunbed too much.

(iii)

Suggest why.	
	(1)
A spokesperson for a leading cancer charity said:	
'We want people, especially young people, to know	
the possible dangers of using a sunbed.'	
Why is it important that you know the possible dangers of using a sunbed?	
This is it important that you thou the possible dangers of doing a sumbout	
	(1)
	(Total 6 marks)

26

Using an optical telescope to look at stars is not always easy because:

- too many street lights often make it too light to see faint stars
- clouds reduce the light getting to the telescope
- atmospheric pollution often distorts the images.

1 1	<b>S</b>	
Large optical telescopes are often positioned	d high up a mountain.	
Describe the advantages of positioning a tele	escope high up a mountain.	
		(Tabal Carragha)
		(Total 3 marks)

A doctor uses the radioactive isotope technetium-99 to find out if a patient's kidneys are working correctly.




The doctor injects a small amount of technetium-99 into the patient's bloodstream. Technetium-99 emits gamma radiation.

If the patient's kidneys are working correctly, the technetium-99 will pass from the bloodstream into the kidneys and then into the patient's urine.

Detectors are used to measure the radiation emitted from the kidneys.

The level of radiation emitted from each kidney is recorded on a graph.



(a)	How do the graphs show that technetium-99 is passing from the bloodstream into each kidney?

www.tutorzone.co.uk


	(b)	By looking at the graphs, the ckidneys.	doctor is able to	o tell if there is a	problem with the patien	t's
		Which one of the following sta	atements is co	rect?		
		Put a tick ( ✓) in the box next	to your answe	r.		
		Only the right kidney is working	g correctly.			
		Only the left kidney is working	correctly.			
		Both kidneys are working corr	ectly.			
		Explain the reason for your ar	nswer.			
					······································	(3) Total 4 marks)
28	(a)	The wavelengths of four difference waves, are given in the table.	ent types of ele	ectromagnetic w		
		Type of wave	Wa	avelength		
		Visible light	0.	0005 mm		
		Α		1.1 km		
		В		100 mm		
		С	(	).18 mm		
		Which of the waves, <b>A</b> , <b>B</b> , or <b>C</b>	<b>C</b> , is an infra re	ed wave?		
						(1)

www.tutorzone.co.uk

(b)	A TV station broadcasts at 500 000 kHz. The waves travel through the air at 300 000 000 m/s.	110120110.00
	Calculate the wavelength of the waves broadcast by this station.	
	Show clearly how you work out your answer.	
	Wavelength = m	(2)
(c)	What happens when a metal aerial absorbs radio waves?	
		(2)
(d)	Stars emit all types of electromagnetic waves. Telescopes that monitor X-rays are mounte on satellites in space.	ed
	Why would an X-ray telescope based on Earth <b>not</b> be able to detect X-rays emitted from distant stars?	
		(1)
	(Total 6	marks)

www.tutorzone.co.uk A student investigates how the magnification of an object changes at different distances from a converging lens converging lens.

The diagram shows an object at distance **d** from a converging lens.



(a) (i) The height of the object and the height of its image are drawn to scale.

> Use the equation in the box to calculate the magnification produced by the lens shown in the diagram.

$$magnification = \frac{image \ height}{object \ height}$$

	Show clearly how you work out your answer.	
	Magnification =	
/::\		(2)
(ii)	The points <b>F</b> are at equal distances on either side of the centre of the lens.  State the name of these points.	
		(1)
(iii)	Explain how you can tell, <b>from the diagram</b> , that the image is virtual.	( )
		(1)

(b) The student now uses a different converging lens. He places the object between the lens and the point **F** on the left.

The table shows the set of results that he gets for the distance **d** and for the magnification produced.

Distance d measured in cm	Magnification
5	1.2
10	1.5
15	2.0
20	3.0
25	6.0

His friend looks at the table and observes that when the distance doubles from 10 cm to 20 cm, the magnification doubles from 1.5 to 3.0.

His friend's conclusion is that:

The magnification is directly proportional to the distance of the object from the lens.


His friend's observation is correct.

His friend's conclusion is wrong.

(i)	Explain using data from the table why his friend's conclusion is wrong.	
an)		(2)
(ii)	Write a correct conclusion.	
		(1)


		(iii)	The maximum left.	range of measu	rement	ts for	d is from th	e centre	of the I	www ens to <b>F</b> on	tutorzone.co.uk the
				annot make a co	orrect c	oncl	usion outsid	e this ra	nge.		
			Explain why.								
											(1) al 8 marks)
30	(a)		diagram below s ctrum.	shows six of the	seven	type	s of wave th	at make	up the	electromagn	etic
			ımma ays	Ultraviolet	Visib ligh		Infrared	Microv	waves	Radio waves	
		(i)	What type of e	electromagnetic	wave is	s mis	sing from th	e diagra	m?		
											(1)
		(ii)		ollowing electron ound the correc			ives has the	most er	nergy?		
			Draw a ring ar	ound the correc	i answe	<i>5</i> 1.					
			gamma r	ays radio	o wave	S	visible	light			(1)
		(iii)	Which of the fo	ollowing electron	nagneti	c wa	ves is given	out by a	a TV ren	note control	
			Draw a ring ar	ound the correc	t answe	er.					
			infrared	micro	owaves	3	ultravio	olet			(1)
	(b)	Drav	w a ring around	the correct answ	er in th	ne bo	ox to comple	te the se	entence.		,
						a slo	ower speed	than			
		Micr	owaves travel th	rough a vacuun	n at	the	same speed	l as	radio v	vaves.	
						a fa	ster speed t	han			(1)
											(1)

(c) The diagram shows waves being produced on a rope. The waves are **not** reflected by the wall.



(i)	Draw an arrow on the diagram to show the direction in which the waves transfer energy.	
(ii)	Which <b>one</b> of the arrows, labelled, <b>X</b> , <b>Y</b> or <b>Z</b> , shows the amplitude of a wave?	
	Write the correct answer in the box.	
(iii)	The waves produced on the rope are transverse.	
( )	Name <b>one</b> other type of transverse wave.	
	rope is shaken up and down, producing 3 waves every second. waves have a wavelength of 1.2 metres.	
(i)	State the frequency of the waves.	
	Hz	
(ii)	Calculate the speed of the waves.	
	Show clearly how you work out your answer.	
	Wave speed = m/s	
	(Total 10 n	nar

The diagram shows the apparatus that a student used to investigate the heating effect of different wavelengths of light.



(a)	(i)	The student put thermometer <b>D</b> outside of the light spectrum.				
		Suggest why.				

(1)

(ii) The table gives the position and reading of each thermometer 10 minutes after the investigation started.

Thermometer	Position of thermometer	Temperature in °C
Α	in violet light	21
В	in green light	22
С	in red light	24
D	outside the spectrum	20


Vhat should the student conclude from the data in the table?	

(2)

(b)	A similar investigation completed in 1800 by the scientist Sir William Herschel led to the discovery of infrared radiation.	one.co.uk
	Suggest how the student could show that the spectrum produced by the glass prism has an infrared region.	
		(2)
(c)	A person emits infrared radiation at a frequency of 3.2 x 10 <sup>13</sup> Hz.	
	Calculate the wavelength of the infrared radiation that a person emits.	
	Take the speed of infrared radiation to be $3.0 \times 10^8$ m/s.	
	Show clearly how you work out your answer.	
	Wavelength = m	(2)
(d)	A thermal imaging camera detects infrared radiation. Electronic circuits inside the camera produce a visible image of the object emitting the infrared radiation.	
	At night, police officers use thermal imaging cameras to track criminals running away from crime scenes.	
	Thermal imaging cameras work better at night than during the day.	
	Explain why.	
		(2)
	(Total 9 ma	(2) rks)

32

The diagram shows a lens being used as a magnifying glass.



(a) (i) What type of lens is shown in the diagram?

Draw a circle around your answer.

concave converging diverging (1)

(ii) Use the equation in the box to calculate the magnification produced by the lens.

The object and image in the diagram have been drawn to full size.

$$magnification = \frac{image \ height}{object \ height}$$


Show clearly how you work out your answer.

.....

.....

(2)

www.tutorzone.co.uk
The diagram shows how the image changes when the object has been moved closer to the (b) lens.



Complete the following sentence by drawing a ring around the correct line in the box.

increases

Moving the object closer to the lens


does not change decreases

the magnification produced

by the lens.

(1) (Total 4 marks)

- 33
- (a) The diagram shows a converging lens being used as a magnifying glass.
  - (i) On the diagram, use a ruler to draw two rays from the top of the object which show how and where the image is formed. Represent the image by an arrow drawn at the correct position.



(ii) Use the equation in the box to calculate the magnification produced by the lens.

magnification		image height		
	_	object height		

Show clearly how you work	out your answer.
	Magnification =

(2)

(3)

(b)	A camera also uses a converging lens to form an image.	w.tutorzone.
	Describe how the image formed by the lens in a camera is different from the image for by a lens used as a magnifying glass.	med
	(То	(2) tal 7 marks)
Radi	io waves and microwaves are two types of electromagnetic wave.	
Both	n waves:	
	can be used for communications	
	travel at the same speed through air.	
(a)	Give <b>two</b> more properties that are the same for both radio waves and microwaves.	
	1	
	2	
		(2)
(b)	Some satellites are used to transmit television programmes. Signals are sent to, and transmitted from, the satellites using microwaves.	
	What is the property of microwaves that allows them to be used for satellite communications?	
		/4\
		(1)


34

		(Total 6 marks)	
	Frequency =	(3)	
	Show clearly how you work out your answer and give the unit.		
	Calculate the frequency of the radio waves.		
	A radio station transmits waves with a wavelength of $2.5 \times 10^2$ m.		
C)	Electromagnetic waves travel at a speed of 3.0 × 10° m/s.		

The diagram shows a model used to demonstrate an illusion known as 'Pepper's Ghost'.

A small light bulb and thin sheet of glass are put inside a box. The thin sheet of glass acts as a mirror. Although the light bulb is switched on, a student looking into the box cannot see the bulb. What the student does see is a virtual image of the bulb.

## View from above




(a) Use a ruler to complete a ray diagram to show how the image of the light bulb is formed. Mark and label the position of the image.


(4)

www.tutorzone.co.uk

(b)	The image seen by the student is virtual.	
	Why?	
	(Total 5 ma	(1) rks)
that t	the small boat will be seen on the radar screen of a large ship.	
(a)	Microwaves and radio waves are both part of the electromagnetic spectrum.	
	How are microwaves different from radio waves?	
		(1)
(b)	How fast do microwaves travel through the air or a vacuum compared to radio waves?	
		(1)
	Sma that t The (a)	Why?  Crotal 5 mail  Small sailing boats can be fitted with a passive radar device. The device increases the chance that the small boat will be seen on the radar screen of a large ship.  The radar transmitter on the large ship emits microwaves.  (a) Microwaves and radio waves are both part of the electromagnetic spectrum.  How are microwaves different from radio waves?

The diagrams show the position of a passive radar device on a small boat and the internal (c) construction of one type of passive radar device.





Microwaves can be absorbed, reflected or transmitted by different materials and types of surface.


Explain what happens to the microwaves from the ship's transmitter when they reach the

assive radar device.		

(2)

www.tutorzone.co.uk Each type of passive radar device has an RCS value. The larger the RCS value, the easier it is for a small host fitted with the device. (d) it is for a small boat fitted with the device to be detected.

An independent group of scientists measured the RCS values of 4 different types of device. The RCS value for each device was measured in the same room using the same equipment.



(i)	Why are the walls of the room covered in a material that absorbs the waves emitted by the radar transmitter?	
		(1)
(ii)	Why is it important to use the same room and the same equipment?	(-)
		(1)
(iii)	Why is it important that the measurements are made by an independent group of scientists?	
		(1)

www.tutorzone.co.uk
The movement of a small boat causes the mast and device to lean over, therefore the RCS
values were measured at different angles. (e) values were measured at different angles.

The table gives the RCS values obtained by the scientists.




(i)

Device	Angle X			
Device	0°	5°	10 °	15 °
Α	1.4	1.6	1.7	1.8
В	4.7	2.6	2.3	1.9
С	9.3	3.3	1.9	1.1
D	4.5	4.8	5.0	4.6

	B.	
		(2)
(ii)	The scientists recommended that a passive radar device fitted to a small boat should have:	
	the largest possible RCS value	
	an RCS value consistently above 2.0	
	Which $one$ of the devices, $A$ , $B$ , $C$ or $D$ , would you recommend that someone fits to their boat?	
	Give a reason for your answer.	
		(4)
	(Total 10 m	(1) arks)

Describe how the RCS values for device A are different to the RCS values for device

The ray diagram shows the image formed by a concave mirror.




Use the equation in the box to calculate the magnification.

Show clearly how you work out your answer.

Magnification =

(Total 2 marks)



(a)	Wha	t type of lens is shown?	
			(1)
(b)	Wha	t is the name of the points, <b>F</b> , shown each side of the lens?	
			(1)
(c)	(i)	The image is real and can be put on a screen.	
		How can you tell <b>from the diagram</b> that the image is real?	
			(1)
	(ii)	Draw a ring around a word in the box which describes the image produced by the lens.	

invented level	
inverted larger	upright


www.tutorzone.co.uk A student investigates the relationship between the distance from the object to the lens and the magnification produced by the lens. (d) the magnification produced by the lens.

The student's results are given in the table.

The student did not repeat any measurements.

Distance in millimetres	Height of object in millimetres	Height of image in millimetres	Magnification produced
40	20	58	2.9
50	20	30	1.5
60	20	20	1.0
70	20	14	0.7
80	20	12	0.6
90	20	10	0.5

The student plots the points for a graph of magnification produced against distance.



Draw a line of best fit for these points. (i)

Complete the following sentence by drawing a ring around the correct word in the (ii) box.

A line graph has been drawn because both variables are

	categoric.
described as being	continuous.
	discrete.


•	т۱
1	.,
•	•

hip between magnification produced and distance.	
	(2)
(Total 8 mark	s)

39

At night, it is important that the lights of a car can be seen by other drivers but it is dangerous if these lights dazzle them.


The diagram shows a rear light of a car.



(a)	(i)	Name part <b>A</b> .

- (ii) Name the process which occurs at point **B** and at point **C**.
- (b) A headlamp of a car contains a lens.

The ray diagram shows the position and size of the image, **I**, of an object, **O**, formed by a lens similar to the one inside a car headlamp.



(i) What type of lens is shown in the ray diagram?

Draw a ring around your answer.

converging plane (1)

(ii) The ray diagram is drawn to scale.

Use the equation in the box to calculate the magnification produced by the lens.

$$magnification = \frac{image\ height}{object\ height}$$

Show clearly how you work out your answer.


.....

Magnification = .....

(2) (Total 5 marks) 40

Glass reflects, absorbs and transmits both infra red radiation and visible light.


(a) The diagram shows the percentages of visible light that are reflected and absorbed by one type of glass.



What percentage of visible light is transmitted by this type of glass?

.....%

(b) The amounts of infra red radiation and visible light transmitted by glass depend on the type and thickness of glass. The data obtained from tests on two different types of glass is displayed in the graph below.



(i) To be able to compare the two types of glass, it was important to control one variable.

What variable was controlled in the tests?

	www.tutorzone.c
(ii)	A homeowner has a glass conservatory built on the back of the house. The homeowner tells the builder that the inside of the conservatory should stay as cool as possible throughout the summer.
	Explain why the builder uses 'type B' glass for the conservatory.
	(2)
	(Total 4 marks)
	etromagnetic waves have many uses. The diagram shows two ways of sending mation using electromagnetic waves.
	Satellite
	Atmosphere
(i)	What type of wave is used to send information to and from satellites?


What property of this type of wave makes it suitable for satellite communications?

(a)

(ii)

(1)

(b) Different frequency radio waves travel different distances through the atmosphere before being reflected.



Use the information in the diagram to describe the connection between the frequency of a radio wave and the distance the radio wave travels through the atmosphere before it is reflected.

(c) Electromagnetic waves travel at a speed of 300 000 000 m/s.

A radio station transmits waves with a wavelength of 20 metres.

Calculate the frequency, in kilohertz (kHz), of these waves.

Show clearly how you work out your answer.

 	•••••	•••••	

Frequency = ......kHz

(Total 5 marks)


www.tutorzone.co.uk
The table gives information about the frequencies in the hearing ranges of six different mammals.

Name of mammal	Frequencies in hearing range
Bat	20 Hz → 160 kHz
Dog	20 Hz → 30 kHz
Dolphin	40 Hz → 110 kHz
Elephant	5 Hz → 10 kHz
Human	20 Hz → 20 kHz
Tiger	30 Hz → 50 kHz

(i)	Which mammal in the table can hear the highest frequency?	
		(1)
(ii)	Which mammal in the table, apart from humans, <b>cannot</b> hear ultrasound?	
		(1)
(iii)	Give <b>one</b> example of a frequency which an elephant can hear but which a tiger <b>cannot</b> hear.	
	Include the unit in your answer.	
	Frequency	(1)

The diagrams show six sound waves, **A**, **B**, **C**, **D**, **E** and **F**, represented on an oscilloscope (b) screen.

They are all drawn to the same scale.



1	i)	Which <b>one</b> of the waves has the greatest amplitude?
١	1 <i>)</i>	William Offe of the waves has the greatest amplitude:

Wave	
	(1)


(ii) Which one of the waves has the highest frequency?

(1) (Total 5 marks)



www.tutorzone.co.uk A student investigates how the magnification of an object changes at different distances from a converging lens.

The diagram shows an object at distance d from a converging lens.



(a) (i) The height of the object and the height of its image are drawn to scale.

> Use the equation in the box to calculate the magnification produced by the lens shown in the diagram.

$$magnification = \frac{image \ height}{object \ height}$$

	Show clearly how you work out your answer.	
	Magnification =	(2)
(ii)	The points <b>F</b> are at equal distances on either side of the centre of the lens.	
	State the name of these points.	
		(1)
(iii)	Explain how you can tell, from the diagram, that the image is virtual.	
		(1)

(b) The student now uses a different converging lens. He places the object between the lens and point **F** on the left.

The table shows the set of results that he gets for the distance d and for the magnification produced.

Distance $d$ measured in cm	Magnification
5	1.2
10	1.5
15	2.0
20	3.0
25	6.0

His friend looks at the table and observes that when the distance doubles from 10 cm to 20 cm, the magnification doubles from 1.5 to 3.0.

His friend's conclusion is that:

The magnification	is directly	proportional	to the	distance	of the	object froi	n the	lens.
····o ····ag······oai··o··		p. 5 p 5				0.0,0000.		

His friend's observation is correct but his friend's conclusion is **not** correct.

(i)	Explain, with an example, why his friend's conclusion is <b>not</b> correct.						
		(2)					
(ii)	Write a correct conclusion.	(-)					
		(1)					

		lett.						
		The student <b>c</b> a	annot make	a correct co	nclusion outs	side this rang	ge.	
		Explain why.						
			•••••		•••••			(Total 8 ma
The	e diagra	am shows the s	even types o	f wave that	make up the	electromagr	netic spectru	ım.
G	amma	X-rays	Ultraviolet	Visible	Infra red	Micro-	Radio	
	rays		rays	light	rays	waves	waves	
		Name <b>one</b> mo						
	(ii)	Name <b>one</b> typ microwaves.	e of electrom	agnetic wav	ve that has a	longer wave	elength than	
					•••••			
(b)		i is a system the					-	a router
		t quantity is me			to min a con	ipator to a a	evice danca	a router.
		v a ring around						
		frequenc	су	wavelengt	h w	ave speed		
(c)		litician commen ems may be har			e of Wi-Fi. He	said: 'I beli	eve that thes	se
	(i)	Suggest <b>one</b> r	eason why m	nore scientif	ic research ir	nto the safet	y of Wi-Fi sy	stems is
		needed.						

www.tutorzone.co.uk Complete the following sentence by drawing a ring around the correct line in the box.

			What the politician said was	an opinion.		
				a prediction.		
					(Total 5 mai	(1) rks)
45	(a)		rowaves and visible light are two munications.	types of electr	omagnetic wave. Both can be used for	
		(i)	Give <b>two</b> properties that are co	ommon to both	visible light and microwaves.	
			1			
			2			
						(2)
		(ii)	Name two more types of electronic	romagnetic wav	ve that can be used for communications.	
				and		(1)
	(b)	Wi-F	is a system that joins compute	rs to the interne	et without using wires. Microwaves, with	(-,
			avelength of 12.5 cm, are used to owaves travel through the air at			
		Calc	culate the frequency of the micro	waves used to	link the computer to the router.	
		Sho	w clearly how you work out your	answer and giv	ve the unit.	
			Frequency =			(3)

a fact.

(ii)

www.tutorzone.co.uk

(1)

(Total 8 marks)

(c) Wi-Fi is used widely in schools. However, not everyone thinks that this is a good idea.

A politician commented on the increasing use of Wi-Fi. He said: 'I believe that these systems may be harmful to children.'

However, one group of scientists said that there is no reason why Wi-Fi should not be used in schools. These scientists also suggested that there is a need for further research.

(i) Suggest what the politician could have done to persuade people that what he said was not just an opinion.

(ii) Why did the group of scientists suggest that there is a need for further research?


.....



www.tutorzone.co.uk A student investigated how the nature of the image depends on the position of the object in front of a large converging lens.

The diagram shows one position for the object.

(a) Use a ruler to complete a ray diagram to show how the image of the object is formed.



Key: F = principal focus

1	1
١.	•,

		 .(2
(D)	bescribe the nature of this image relative to the object.	
(b)	Describe the nature of this image relative to the object.	

(Total 6 marks)

47

The table shows the electromagnetic spectrum. Three types of wave have been missed out.

Gamma rays	Ultraviolet rays	Visible light	Micro- waves	
Shortest wavelength				Longest wavelength

(i) Use words from the box to complete the table.

infra red rays radio wave	es X-rays
) Which <b>one</b> of the following gives a	a use of gamma rays?
Put a tick $(\checkmark)$ in the box next to yo	our choice.
to communicate with satellites	
to see objects	
to kill cancer cells	

(iii) Complete the following sentence by drawing a ring around the correct word in the box.


	energy	
All electromagnetic waves move	gases	from one place to another.
	particles	

(1) (Total 4 marks)

(1)

(1)

(a) The picture shows a speed gun being used to measure how fast a tennis player hits the ball.



Some of the microwaves from the speed gun are absorbed by the ball and some are reflected by the ball.

(i) Complete the following sentence by choosing **one** of the phrases from the box.

	longer than	the same as	shorter than		
The wavelength of the microwaves reflected from the ball are					
the wavelength of the microwaves					
fr	om the speed gun.				


(ii) Complete the following sentence by drawing a ring around the correct line in the box.

When the ball absorbs microwaves, its temperature will

decrease slightly
not change
increase slightly

(b) The microwaves reflected from the ball have a higher frequency than the microwaves from the speed gun.

The graph shows how the difference between the two frequencies depends on the speed of the ball.



www.tutorzone.co.uk Describe the pattern that links the difference between the two frequencies and the (i) speed of the ball. (1) (ii) The speed gun measures the difference between the two frequencies as 3200 Hz. Use the graph to find the speed of the tennis ball. Show clearly on the graph how you obtain your answer. Speed of the tennis ball = ..... m/s (2) Which one of the following gives the reason why the data has been shown as a line (iii) graph and not as a bar chart? Put a tick  $(\checkmark)$  in the box next to your choice. Frequency and speed are both categoric variables. Frequency and speed are both continuous variables.

Speed is a continuous variable and frequency is a categoric variable.

(1)

(Total 6 marks)